







NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.06	280.0	1.8	6.2	5	NMRV025	56A4	439	280
	186.7	2.6	4.2	7.5			503	
	140.0	3.4	3.5	10			553	
	93.3	4.9	2.5	15			633	
	70.0	6.1	2.0	20			697	
	46.7	8.2	1.6	30			798	
	35.0	10	1.3	40			878	
	28.0	12	0.9	50			946	
	23.3	14	0.7	60			1006	
	180.0	2.7	4.8	5			NMRV025	
120.0	4.0	3.2	7.5			583		
90.0	5.2	2.7	10			641		
60.0	7.4	1.9	15			734		
45.0	9.3	1.4	20			808		
30.0	12	1.2	30			925		
22.5	15	0.9	40			1018		
18.0	18	0.7	50			1096		
280.0	1.8	10.1	5	NMRV030	56A4	597	281	
186.7	2.6	6.9	7.5			683		
140.0	3.4	5.4	10			752		
93.3	4.7	3.8	15			861		
70.0	6.0	3.0	20			948		
56.0	7.0	3.0	25			1021		
46.7	8.0	2.5	30			1085		
35.0	9.7	1.9	40			1194		
28.0	11	1.5	50			1286		
23.3	13	1.3	60			1367		
17.5	14	0.9	80			1504		
15.0	18	0.9	60	NMRV030	56B6	1583	281	
14.0	25	1.3	100	NMRV025/030	56A4	1620	296	
9.3	32	0.9	150			1830		
7.0	41	0.7	200			1830		
5.6	44	0.8	250			1830		
18.0	18	2.3	50	NMRV040	56B6	2868	282	
15.0	21	1.9	60			3047		
11.3	24	1.4	80			3354		
9.0	27	1.2	100			3490		
4.7	59	1.2	300	NMRV025/040	56A4	3490	296	
3.5	71	0.9	400			3490		
2.8	82	0.7	500			3490		
2.3	101	0.6	600			3490		
1.9	116	0.5	750			3490		
1.6	143	0.5	900			3490		
1.2	171	0.4	1200			3490		
0.9	197	0.3	1500			3490		
0.8	217	0.3	1800			3490		
0.6	268	0.2	2400			3490		
0.5	324	0.2	3000			3490		
0.4	294	0.1	4000			3490		
0.3	356	0.1	5000			3490		
4.7	57	1.3	300	NMRV030/040	56A4	3490	297	
3.5	70	0.9	400			3490		
2.8	96	0.6	500			3490		
2.3	104	0.7	600			3490		



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)				
0.06	1.9	121	0.6	750	NMRV030/040	56A4	3490	297			
	1.6	139	0.5	900			3490				
	1.2	166	0.4	1200			3490				
	0.9	196	0.4	1500			3490				
	0.8	218	0.3	1800			3490				
	0.58	261	0.2	2400			3490				
	0.4	300	0.2	3200			3490				
	0.4	279	0.1	4000			3490				
	0.28	338	0.1	5000			3490				
	1.6	141	1.0	900			NMRV030/050		56A4	4840	297
1.2	169	0.7	1200	4840							
0.93	199	0.7	1500	4840							
0.78	222	0.7	1800	4840							
0.6	266	0.5	2400	4840							
0.5	307	0.4	3000	4840							
0.35	288	0.3	4000	4840							
0.29	311	0.3	4800	4840							
0.9	204	1.1	1500	NMRV030/063	56A4	6270	297				
0.78	225	0.9	1800			6270					
0.58	276	0.8	2400			6270					
0.47	319	0.7	3000			6270					
0.35	306	0.6	4000			6270					
0.28	360	0.4	5000	6270							
0.6	330	1.1	2400	NMRV040/075	56A4	7380	298				
0.47	377	0.8	3000			7380					
0.35	355	0.7	4000			7380					
0.28	419	0.5	5000			7380					
0.5	406	1.4	3000	NMRV040/090	56A4	8180	298				
0.35	365	1.3	4000			8180					
0.28	431	1.0	5000			8180					
0.09	560.0	1.4	5.9	5	NMRV025	56A2	349	280			
	373.3	2.0	3.9	7.5			399				
	280.0	2.6	3.4	10			439				
	186.7	3.8	2.4	15			503				
	140.0	4.9	1.9	20			553				
	93.3	6.7	1.3	30			633				
	70.0	8.3	1.1	40			697				
	56.0	10	0.9	50			751				
	280.0	2.7	4.1	5			NMRV025		56B4	439	280
	186.7	3.9	2.8	7.5						503	
140.0	5.1	2.4	10	553							
93.3	7.3	1.6	15	633							
70.0	9.2	1.3	20	697							
46.7	12	1.1	30	798							
35.0	15	0.9	40	878							
560.0	1.4	8.8	5	NMRV030	56A2	474		281			
373.3	2.0	6.5	7.5			542					
280.0	2.6	5.0	10			597					
186.7	3.7	3.5	15			683					
140.0	4.8	2.5	20			752					
112.0	5.7	2.8	25			810					
93.3	6.5	2.3	30			861					
70.0	8.1	1.7	40			948					
56.0	10	1.4	50			1021					




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.09	46.7	11	1.1	60	NMRV030	56A2	1085	281
	35.0	13	0.9	80			1194	
	280.0	2.7	6.7	5	NMRV030	56B4	597	281
	186.7	3.9	4.6	7.5			683	
	140.0	5.0	3.6	10			752	
	93.3	7.1	2.5	15			861	
	70.0	9.0	2.0	20			948	
	56.0	10	2.0	25			1021	
	46.7	12	1.7	30			1085	
	35.0	14	1.2	40			1194	
28.0	17	1.0	50	1286				
23.3	19	0.9	60	1367				
180.0	4.1	4.9	5	NMRV030	63A6	692	281	
120.0	5.9	3.4	7.5			792		
90.0	7.6	2.6	10			871		
60.0	11	1.9	15			997		
45.0	13	1.5	20			1098		
36.0	15	1.5	25			1183		
30.0	17	1.2	30			1257		
22.5	21	1.0	40			1383		
18.0	24	0.7	50			1490		
28.0	20	1.6	100			NMRV025/030		56A2
18.7	25	1.1	150	1472				
14.0	33	0.9	200	1620				
14.0	38	0.8	100	NMRV025/030	56B4	1620	296	
9.3	49	0.6	150			1830		
7.0	62	0.5	200			1830		
5.6	66	0.5	250			1830		
4.7	75	0.4	300			1830		
3.5	107	0.3	400			1830		
2.8	115	0.3	500			1830		
2.3	135	0.2	600			1830		
1.9	151	0.2	750			1830		
1.6	178	0.2	900			1830		
1.2	212	0.1	1200			1830		
0.9	247	0.1	1500			1830		
0.78	304	0.1	1800			1830		
0.58	340	0.1	2400			1830		
0.47	405	0.1	3000			1830		
28.0	19	2.0	50			NMRV040		56B4
23.3	21	1.7	60	2630				
17.5	26	1.3	80	2895				
14.0	29	1.0	100	3118				
30.0	19	2.6	30	NMRV040	63A6	2419	282	
22.5	24	1.9	40			2662		
18.0	27	1.5	50			2868		
15.0	31	1.3	60			3047		
11.3	37	1.0	80			3354		
9.0	41	0.8	100			3490		
12.0	47	1.3	75			PC063+NMRV040		63A6
10.0	51	1.4	90	3488				
7.5	62	1.1	120	3490				



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.09	6.0	72	0.8	150	PC063+NMRV040	63A6	3490	291
	5.0	79	0.7	180			3490	
	9.3	45	1.6	300	NMRV025/040	56A2	3490	296
	7.0	54	1.2	400			3490	
	5.6	77	0.8	500			3490	
	4.7	88	0.8	300	NMRV030/040	56B4	3490	297
	15.0	32	2.3	60	NMRV050	63A6	4183	283
	11.3	37	1.8	80			4604	
	9.0	42	1.3	100			4840	
	6.0	73	1.6	150	PC063+NMRV050	63A6	4840	291
	5.0	81	1.3	180			4840	
	3.8	94	0.9	240			4840	
	3.0	106	0.7	300			4840	
	3.5	107	1.2	400	NMRV030/050	56B4	4840	297
	2.8	123	1.0	500			4840	
	2.3	159	0.9	600			4840	
	1.9	185	0.8	750			4840	
	1.6	212	0.7	900			4840	
3.8	99	1.7	240	PC063+NMRV063	63A6	6270	292	
3.0	109	1.4	300			6270		
1.6	200	1.0	900	NMRV030/063	56B4	6270	297	
1.2	263	0.9	1200			6270		
0.93	305	0.7	1500			6270		
0.9	360	1.1	1500	NMRV040/075	56B4	7380	298	
0.78	404	1.0	1800			7380		
0.58	496	0.7	2400			7380		
0.5	609	0.9	3000	NMRV040/090	56B4	8180	298	
0.35	548	0.8	4000			8180		
0.12	560.0	1.8	4.4	5	NMRV025	56B2	349	280
	373.3	2.7	3.0	7.5			399	
	280.0	3.5	2.6	10			439	
	186.7	5.0	1.8	15			503	
	140.0	6.5	1.4	20			553	
	93.3	9.0	1.0	30			633	
	70.0	11	0.8	40			697	
	280.0	3.6	5.1	5			NMRV030	
	186.7	5.2	3.4	7.5	683			
	140.0	6.7	2.7	10	752			
	93.3	9.5	1.9	15	861			
	70.0	12	1.5	20	948			
	56.0	14	1.5	25	1021			
	46.7	16	1.3	30	1085			
	35.0	19	0.9	40	1194			
	28.0	23	0.8	50	1286			
	180.0	5.4	3.7	5	NMRV030	63B6		692
	120.0	7.9	2.5	7.5			792	
	90.0	10	2.0	10			871	
	60.0	14	1.4	15			997	
	45.0	18	1.1	20			1098	




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)																																																																																																																																																																																																																																																																																	
0.12	36.0	20	1.1	25	NMRV030	63B6	1183	281																																																																																																																																																																																																																																																																																
	30.0	23	0.9	30			1257			46.7	17	2.6	30	NMRV040	63A4	2087	282		35.0	21	1.9	40	2298		28.0	25	1.5	50	2475		23.3	28	1.3	60	2630		17.5	34	1.0	80	2895		14.0	38	0.8	100	3118		30.0	25	1.9	30	NMRV040	63B6	2419	282		22.5	32	1.4	40	2662		18.0	36	1.2	50	2868		15.0	41	0.9	60	3047		18.7	42	1.2	75	PC063+NMRV040	63A4	2833	291		15.6	46	1.2	90	3011		11.7	57	0.9	120	3314		9.3	66	0.7	150	3490		7.8	74	0.6	180	3490		12.0	62	1.0	75	PC063+NMRV040	63B6	3283	291		10.0	68	1.1	90	3488		7.5	83	0.8	120	3490		23.3	29	2.3	60	NMRV050	63A4	3610	283		17.5	35	1.9	80	3973		14.0	40	1.4	100	4280		22.5	32	2.6	40	NMRV050	63B6	3654	283		18.0	38	2.0	50	3936		15.0	42	1.7	60	4183		11.3	50	1.4	80	4604		9.0	56	1.0	100	4840		9.3	68	1.3	150	PC063+NMRV050	63A4	4840	291		7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7	98	0.7	300	4840		12.0	63	1.7	75	PC063+NMRV050	63B6	4506	291		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150	4840		5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7	119	1.2	300	NMRV030/050	63A4	4840	297		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292		4.7
	46.7	17	2.6	30	NMRV040	63A4	2087	282																																																																																																																																																																																																																																																																																
	35.0	21	1.9	40			2298																																																																																																																																																																																																																																																																																	
	28.0	25	1.5	50			2475																																																																																																																																																																																																																																																																																	
	23.3	28	1.3	60			2630																																																																																																																																																																																																																																																																																	
	17.5	34	1.0	80			2895																																																																																																																																																																																																																																																																																	
	14.0	38	0.8	100			3118			30.0	25	1.9	30	NMRV040	63B6	2419	282		22.5	32	1.4	40	2662		18.0	36	1.2	50	2868		15.0	41	0.9	60	3047		18.7	42	1.2	75	PC063+NMRV040	63A4	2833	291		15.6	46	1.2	90	3011		11.7	57	0.9	120	3314		9.3	66	0.7	150	3490		7.8	74	0.6	180	3490		12.0	62	1.0	75	PC063+NMRV040	63B6	3283	291		10.0	68	1.1	90	3488		7.5	83	0.8	120	3490		23.3	29	2.3	60	NMRV050	63A4	3610	283		17.5	35	1.9	80	3973		14.0	40	1.4	100	4280		22.5	32	2.6	40	NMRV050	63B6	3654	283		18.0	38	2.0	50	3936		15.0	42	1.7	60	4183		11.3	50	1.4	80	4604		9.0	56	1.0	100	4840		9.3	68	1.3	150	PC063+NMRV050	63A4	4840	291		7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7	98	0.7	300	4840		12.0	63	1.7	75	PC063+NMRV050	63B6	4506	291		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150	4840		5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7	119	1.2	300	NMRV030/050	63A4	4840	297		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292		4.7	103	1.2	300	6270																																			
	30.0	25	1.9	30	NMRV040	63B6	2419	282																																																																																																																																																																																																																																																																																
	22.5	32	1.4	40			2662																																																																																																																																																																																																																																																																																	
	18.0	36	1.2	50			2868																																																																																																																																																																																																																																																																																	
	15.0	41	0.9	60			3047			18.7	42	1.2	75	PC063+NMRV040	63A4	2833	291		15.6	46	1.2	90	3011		11.7	57	0.9	120	3314		9.3	66	0.7	150	3490		7.8	74	0.6	180			3490			12.0	62	1.0	75	PC063+NMRV040	63B6	3283	291		10.0	68	1.1	90	3488		7.5	83	0.8	120	3490		23.3	29	2.3	60	NMRV050	63A4	3610	283		17.5	35	1.9	80	3973		14.0	40	1.4	100	4280		22.5	32	2.6	40	NMRV050	63B6	3654	283		18.0	38	2.0	50	3936		15.0	42	1.7	60	4183		11.3	50	1.4	80	4604		9.0			56		1.0	100	4840		9.3	68	1.3	150	PC063+NMRV050	63A4	4840	291		7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7	98	0.7	300	4840		12.0	63	1.7	75	PC063+NMRV050	63B6	4506	291		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150			4840			5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7	119	1.2	300	NMRV030/050	63A4	4840	297		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292		4.7	103	1.2	300	6270																																																					
	18.7	42	1.2	75	PC063+NMRV040	63A4	2833	291																																																																																																																																																																																																																																																																																
	15.6	46	1.2	90			3011																																																																																																																																																																																																																																																																																	
	11.7	57	0.9	120			3314																																																																																																																																																																																																																																																																																	
	9.3	66	0.7	150			3490																																																																																																																																																																																																																																																																																	
	7.8	74	0.6	180			3490			12.0	62	1.0	75	PC063+NMRV040	63B6	3283	291		10.0	68	1.1	90	3488		7.5	83	0.8	120	3490		23.3	29	2.3	60	NMRV050	63A4	3610	283		17.5	35	1.9	80	3973		14.0	40	1.4	100	4280		22.5	32	2.6	40	NMRV050	63B6	3654	283		18.0	38	2.0	50	3936		15.0	42	1.7	60	4183		11.3	50	1.4	80	4604		9.0	56	1.0	100	4840		9.3	68	1.3	150	PC063+NMRV050	63A4	4840	291		7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7	98	0.7	300	4840		12.0	63	1.7	75	PC063+NMRV050	63B6	4506	291		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150	4840		5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7	119	1.2	300			NMRV030/050		63A4	4840	297		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292		4.7	103	1.2	300	6270																																																																																												
	12.0	62	1.0	75	PC063+NMRV040	63B6	3283	291																																																																																																																																																																																																																																																																																
	10.0	68	1.1	90			3488																																																																																																																																																																																																																																																																																	
	7.5	83	0.8	120			3490			23.3	29	2.3	60	NMRV050	63A4	3610	283		17.5	35	1.9	80	3973		14.0	40	1.4	100	4280		22.5	32	2.6	40	NMRV050	63B6	3654	283		18.0	38	2.0	50	3936		15.0	42	1.7	60	4183		11.3	50	1.4	80			4604			9.0	56	1.0	100	4840		9.3	68	1.3	150	PC063+NMRV050	63A4	4840	291		7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7			98		0.7	300	4840		12.0	63	1.7	75	PC063+NMRV050	63B6	4506	291		10.0	70	2.1	90	4788		7.5	84	1.5	120			4840			6.0	97	1.2	150	4840		5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7	119	1.2	300	NMRV030/050	63A4	4840	297		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292		4.7	103	1.2	300	6270																																																																																																											
	23.3	29	2.3	60	NMRV050	63A4	3610	283																																																																																																																																																																																																																																																																																
	17.5	35	1.9	80			3973																																																																																																																																																																																																																																																																																	
	14.0	40	1.4	100			4280			22.5	32	2.6	40	NMRV050	63B6	3654	283		18.0	38	2.0	50	3936		15.0	42	1.7	60	4183		11.3	50	1.4	80			4604			9.0	56	1.0	100	4840		9.3	68	1.3	150	PC063+NMRV050	63A4	4840	291		7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7	98	0.7	300			4840			12.0	63	1.7	75	PC063+NMRV050	63B6	4506	291		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150			4840			5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7	119	1.2	300	NMRV030/050	63A4	4840	297		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292		4.7	103	1.2	300	6270																																																																																																																																
	22.5	32	2.6	40	NMRV050	63B6	3654	283																																																																																																																																																																																																																																																																																
	18.0	38	2.0	50			3936																																																																																																																																																																																																																																																																																	
	15.0	42	1.7	60			4183																																																																																																																																																																																																																																																																																	
	11.3	50	1.4	80			4604																																																																																																																																																																																																																																																																																	
	9.0	56	1.0	100			4840			9.3	68	1.3	150	PC063+NMRV050	63A4	4840	291		7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7	98	0.7	300	4840		12.0	63	1.7	75	PC063+NMRV050	63B6	4506	291		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150	4840		5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7	119	1.2	300			NMRV030/050		63A4	4840	297		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292		4.7	103	1.2	300	6270																																																																																																																																																																							
	9.3	68	1.3	150	PC063+NMRV050	63A4	4840	291																																																																																																																																																																																																																																																																																
	7.8	75	1.1	180			4840																																																																																																																																																																																																																																																																																	
	5.8	88	0.8	240			4840																																																																																																																																																																																																																																																																																	
	4.7	98	0.7	300			4840			12.0	63	1.7	75	PC063+NMRV050	63B6	4506	291		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150	4840		5.0	108	1.0	180			4840			3.8	125	0.7	240	4840		4.7	119	1.2	300	NMRV030/050	63A4	4840	297		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292		4.7	103	1.2	300	6270																																																																																																																																																																																																		
	12.0	63	1.7	75	PC063+NMRV050	63B6	4506	291																																																																																																																																																																																																																																																																																
	10.0	70	2.1	90			4788																																																																																																																																																																																																																																																																																	
	7.5	84	1.5	120			4840																																																																																																																																																																																																																																																																																	
	6.0	97	1.2	150			4840																																																																																																																																																																																																																																																																																	
	5.0	108	1.0	180			4840																																																																																																																																																																																																																																																																																	
	3.8	125	0.7	240			4840			4.7	119	1.2	300	NMRV030/050	63A4	4840	297		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292		4.7	103	1.2	300	6270																																																																																																																																																																																																																																												
	4.7	119	1.2	300	NMRV030/050	63A4	4840	297																																																																																																																																																																																																																																																																																
	3.5	142	0.9	400			4840																																																																																																																																																																																																																																																																																	
	2.8	164	0.7	500			4840			5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292		4.7	103	1.2	300	6270																																																																																																																																																																																																																																																																	
	5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292																																																																																																																																																																																																																																																																																
	4.7	103	1.2	300			6270																																																																																																																																																																																																																																																																																	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.12	6.0	101	2.1	150	PC063+NMRV063	63B6	6270	292
	5.0	112	1.8	180			6270	
	3.8	131	1.3	240			6270	
	3.0	145	1.0	300			6270	
	2.8	171	1.3	500	NMRV030/063	63A4	6270	297
	2.3	208	1.1	600			6270	
	1.9	241	0.9	750			6270	
	1.6	325	1.2	900	NMRV040/075	63A4	7380	298
	1.2	399	0.9	1200			7380	
	0.8	547	0.9	1800	NMRV040/090	63A4	8180	298
	0.58	695	0.9	2400			8180	
	0.5	884	1.1	3000	NMRV050/105	63A4	10320	298
	0.35	784	1.0	4000			10320	
	0.28	928	0.76	5000			10320	
	0.5	884	1.2	3000	NMRV050/110	63A4	10320	299
	0.35	784	1.0	4000			10320	
	0.28	928	0.80	5000			10320	
0.15	180.0	7	3.0	5	NMRV030	63C6	692	281
	120.0	10	2.0	7.5			792	
	90.0	13	1.6	10			871	
	60.0	18	1.1	15			997	
	45.0	22	0.9	20			1098	
	60.0	19	2.4	15	NMRV040	63C6	1920	282
	45.0	24	1.8	20			2113	
	36.0	29	1.5	25			2276	
	30.0	32	1.6	30			2419	
	22.5	39	1.1	40			2662	
	18.0	45	0.9	50			2868	
	18.0	47	1.6	50	NMRV050	63C6	3936	283
	15.0	53	1.4	60			4183	
	11.3	62	1.1	80			4604	
	10.0	87	1.7	90	PC063+NMRV050	63C6	4788	291
	7.5	105	1.2	120			4840	
	6.0	127	1.7	150	PC063+NMRV063	63C6	6270	292
	5.0	140	1.4	180			6270	
0.18	560.0	2.7	4.4	5	NMRV030	63A2	474	281
	373.3	4.0	3.2	7.5			542	
	280.0	5.2	2.5	10			597	
	186.7	7.5	1.7	15			683	
	140.0	10	1.3	20			752	
	112.0	11	1.4	25			810	
	93.3	13	1.1	30			861	
	70.0	16	0.9	40			948	
	280.0	5.3	3.4	5	NMRV030	63B4	597	281
	186.7	7.8	2.3	7.5			683	
	140.0	10	1.8	10			752	
	93.3	14	1.3	15			861	
	70.0	18	1.0	20			948	




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.18	56.0	21	1.0	25	NMRV030	63B4	1021	281
	46.7	24	0.8	30			1085	
	93.3	14	2.4	30	NMRV040	63A2	1657	282
	70.0	18	1.8	40			1824	
	56.0	21	1.4	50			1964	
	70.0	19	2.0	20	NMRV040	63B4	1824	282
	56.0	23	1.7	25			1964	
	46.7	26	1.7	30			2087	
	35.0	32	1.3	40			2298	
	28.0	38	1.0	50			2475	
	23.3	43	0.8	60			2630	
	45.0	29	1.5	20	NMRV040	71A6	2113	282
	36.0	34	1.3	25			2276	
	30.0	38	1.3	30			2419	
	22.5	47	1.0	40			2662	
	18.7	64	0.8	75	PC063+NMRV040	63B4	2833	291
	15.6	70	0.8	90			3011	
	11.7	85	0.6	120			3314	
46.7	24	2.1	60	NMRV050	63A2	2865	283	
35.0	30	1.5	80			3153		
28.0	34	1.2	100			3397		
35.0	33	2.3	40	NMRV050	63B4	3153	283	
28.0	39	1.9	50			3397		
23.3	43	1.6	60			3610		
17.5	52	1.2	80			3973		
14.0	60	0.9	100			4280		
18.0	56	1.4	50			NMRV050		71A6
15.0	63	1.1	60	4183				
11.3	75	0.9	80	4604				
18.7	64	1.4	75	PC063+NMRV050	63B4	3889	291	
15.6	71	1.5	90			4132		
11.7	87	1.1	120			4548		
9.3	101	0.9	150			4840		
7.8	113	0.7	180			4840		
5.8	133	0.6	240			4840		
12.0	95	1.2	75			PC071+NMRV050		71A6
10.0	105	1.4	90	4788				
7.5	126	1.0	120	4840				



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.18	15.0	66	2.1	60	NMRV063	71A6	5467	284
	11.3	79	1.6	80			6018	
	9.0	90	1.4	100			6270	
	9.3	103	1.7	150	PC063+NMRV063	63B4	6270	292
	7.8	117	1.4	180			6270	
	5.8	139	1.0	240			6270	
	4.7	155	0.8	300			6270	
	12.0	97	2.2	75	PC071+NMRV063	71A6	5889	292
	10.0	107	2.4	90			6259	
	7.5	131	1.8	120			6270	
	6.0	152	1.4	150			6270	
	5.0	168	1.2	180			6270	
	3.8	197	0.9	240			6270	
	3.0	218	0.7	300			6270	
	3.5	222	1.0	400	NMRV030/063	63B4	6270	297
2.8	257	0.8	500	6270				
5.0	179	1.7	180	PC071+NMRV075	71A6	7380	293	
3.8	211	1.2	240			7380		
3.0	235	1.0	300			7380		
2.3	362	1.1	600	NMRV040/075	63B4	7380	298	
1.9	435	0.9	750			7380		
1.6	487	0.8	900			7380		
1.2	629	1.0	1200	NMRV040/090	63B4	8180	298	
0.93	735	0.8	1500			8180		
0.8	861	1.3	1800	NMRV050/105	63B4	10320	298	
0.58	1113	0.9	2400			10320		
0.8	861	1.5	1800	NMRV050/110	63B4	10320	299	
0.58	1113	1.1	2400			10320		
0.22	280.0	7	2.8	5	NMRV030	63C4	597	281
	186.7	10	1.9	7.5			683	
	140.0	12	1.5	10			752	
	93.3	17	1.0	15			861	
	70.0	22	0.8	20			948	
	93.3	18	2.2	15	NMRV040	63C4	1657	282
	70.0	23	1.7	20			1824	
	56.0	28	1.4	25			1964	
	46.7	32	1.4	30			2087	
	35.0	39	1.1	40			2298	
	28.0	47	0.8	50			2475	
	28.0	47	1.5	50	NMRV050	63C4	3397	283
	23.3	53	1.3	60			3610	
	17.5	64	1.0	80			3973	
	18.7	78	1.2	75	PC063+NMRV050	63C4	3889	291
	15.6	86	1.2	90			4132	
	11.7	106	0.9	120			4548	




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.22	9.3	126	1.4	150	PC063+NMRV063	63C4	6270	292
	7.8	143	1.1	180			6270	
	4.7	210	1.1	300	NMRV030/063	63C4	6270	297
	3.5	271	0.8	400			6270	
0.25	560.0	3.8	3.2	5	NMRV030	63B2	474	281
	373.3	5.6	2.3	7.5			542	
	280.0	7.2	1.8	10			597	
	186.7	10	1.3	15			683	
	140.0	13	0.9	20			752	
	112.0	16	1.0	25			810	
	93.3	18	0.8	30			861	
	280.0	8	4.5	5			NMRV040	
	186.7	11	3.6	7.5	1315			
	140.0	14	2.8	10	1447			
	93.3	21	1.9	15	1657			
	70.0	27	1.5	20	1824			
	56.0	32	1.2	25	1964			
	46.7	36	1.3	30	2087			
	35.0	44	0.9	40	2298			
	180.0	12	3.5	5	NMRV040	71B6	1331	282
	120.0	17	2.6	7.5			1524	
	90.0	22	2.0	10			1677	
	60.0	31	1.4	15			1920	
	45.0	40	1.1	20			2113	
	36.0	48	0.9	25			2276	
	30.0	53	0.9	30			2419	
	35.0	42	1.1	80	NMRV050	63B2	3153	283
	28.0	48	0.8	100			3397	
70.0	27	2.7	20	NMRV050	71A4	2503	283	
56.0	32	2.2	25			2696		
46.7	37	2.3	30			2865		
35.0	46	1.7	40			3153		
28.0	54	1.4	50			3397		
23.3	60	1.1	60			3610		
17.5	72	0.9	80			3973		
45.0	40	1.9	20			NMRV050		71B6
36.0	48	1.5	25	3124				
30.0	54	1.7	30	3320				
22.5	67	1.2	40	3654				
18.0	78	1.0	50	3936				
15.0	88	0.8	60	4183				



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.25	18.7	88	1.0	75	PC071+NMRV050	71A4	3889	292
	15.6	98	1.1	90			4132	
	11.7	121	0.8	120			4548	
	28.0	56	2.4	50	NMRV063	71A4	4440	284
	23.3	63	2.0	60			4719	
	17.5	78	1.6	80			5193	
	14.0	87	1.4	100			5595	
	18.0	81	1.8	50	NMRV063	71B6	5145	284
	15.0	92	1.5	60			5467	
	11.3	110	1.2	80			6018	
	9.0	125	1.0	100			6270	
	18.7	91	1.8	75	PC071+NMRV063	71A4	5083	292
	15.6	100	2.0	90			5401	
	11.7	125	1.5	120			5945	
	9.3	143	1.2	150			6270	
7.8	163	1.0	180	6270				
5.8	192	0.7	240	6270				
4.7	215	0.6	300	6270				
12.0	135	1.6	75	PC071+NMRV063			71B6	
10.0	148	1.8	90		6259			
7.5	181	1.3	120		6270			
6.0	211	1.0	150		6270			
7.0	159	1.4	400	NMRV030/063	63B2	6270	297	
5.6	185	1.2	500			6270		
17.5	82	2.3	80	NMRV075	71A4	6130	285	
14.0	94	1.9	100			6603		
11.3	117	1.7	80	NMRV075	71B6	7103	285	
9.0	133	1.4	100			7380		
9.3	151	1.7	150	PC071+NMRV075	71A4	7380	293	
7.8	172	1.4	180			7380		
5.8	201	1.1	240			7380		
4.7	230	0.9	300			7380		
12.0	139	2.4	75	PC071+NMRV075	71B6	6952	293	
10.0	155	2.5	90			7380		
7.5	191	1.9	120			7380		
6.0	219	1.5	150			7380		
5.0	248	1.2	180			7380		
3.5	336	1.1	400			NMRV040/075		71A4
2.8	384	0.8	500	7380				
5.0	263	1.9	180	PC071+NMRV090	71B6	8180	293	
3.8	318	1.4	240			8180		
3.0	358	1.1	300			8180		
2.3	512	1.2	600	NMRV040/090	71A4	8180	298	
1.9	598	0.9	750			8180		
1.6	667	0.8	900			8180		
1.2	943	1.1	1200	NMRV050/105	71A4	10320	298	
0.93	1064	1.0	1500			10320		
0.78	1195	0.9	1800			10320		




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)		
0.25	1.2	943	1.3	1200	NMRV050/110	71A4	10320	299	
	0.93	1064	1.2	1500			10320		
	0.78	1195	1.1	1800			10320		
		0.6	1624	1.0	2400	NMRV063/130	71A4	13500	299
		0.47	1935	0.8	3000			13500	
		0.35	2046	0.6	4000			13500	
		0.28	2430	0.5	5000			13500	
		0.8	1199	1.8	1800	NMRV063/150	71A4	18000	299
		0.6	1446	1.8	2400			18000	
		0.5	1713	1.4	3000			18000	
		0.4	2026	0.9	4000			18000	
		0.3	2251	0.7	5000			18000	
0.37	560.0	5.6	2.1	5	NMRV030	63C2	474	281	
	373.3	8.2	1.6	7.5			542		
	280.0	11	1.2	10			597		
	186.7	15	0.8	15			683		
		560.0	5.7	4.2	5	NMRV040	71A2	912	282
		373.3	8.4	3.3	7.5			1044	
		280.0	11	2.6	10			1149	
		186.7	16	1.9	15			1315	
		140.0	21	1.4	20			1447	
		112.0	25	1.1	25			1559	
		280.0	11	3.0	5	NMRV040	71B4	1149	282
		186.7	16	2.4	7.5			1315	
		140.0	21	1.9	10			1447	
		93.3	31	1.3	15			1657	
		70.0	39	1.0	20			1824	
		56.0	47	0.8	25			1964	
		46.7	53	0.8	30			2087	
			112.0	25	2.0			25	
	93.3		29	2.2	30	2274			
	70.0		37	1.6	40	2503			
	56.0		44	1.2	50	2696			
	46.7		50	1.0	60	2865			
	35.0		62	0.7	80	3153			
			140.0	22	3.3	10	NMRV050	71B4	1987
93.3		31	2.4	15	2274				
70.0		40	1.8	20	2503				
56.0		48	1.5	25	2696				
46.7		55	1.5	30	2865				
35.0		68	1.1	40	3153				



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.37	28.0	80	0.9	50	NMRV050	71B4	3397	283
	23.3	89	0.8	60			3610	
	180.0	17	4.3	5	NMRV050	80A6	1827	283
	120.0	25	3.3	7.5			2091	
	90.0	33	2.5	10			2302	
	60.0	47	1.8	15			2635	
	45.0	60	1.3	20			2900	
	36.0	72	1.0	25			3124	
	30.0	80	1.1	30			3320	
	35.0	71	2.1	40	NMRV063	71B4	4122	284
28.0	83	1.6	50	4440				
23.3	94	1.4	60	4719				
17.5	115	1.1	80	5193				
14.0	129	0.9	100	5595				
45.0	60	2.4	20	NMRV063	80A6	3791	284	
36.0	74	1.9	25			4084		
30.0	82	2.1	30			4339		
22.5	102	1.6	40			4776		
18.0	120	1.2	50			5145		
15.0	137	1.0	60			5467		
18.7	134	1.2	75			PC071+NMRV063		71B4
15.6	148	1.4	90	5401				
11.7	185	1.0	120	5945				
9.3	212	0.8	150	6270				
9.3	181	1.3	300	NMRV030/063	71A2	6270	297	
7.0	236	1.0	400			6270		
23.3	98	2.0	60	NMRV075	71B4	5569	285	
17.5	121	1.6	80			6130		
14.0	139	1.3	100			6603		
18.0	126	1.8	50	NMRV075	80A6	6073	285	
15.0	144	1.5	60			6453		
11.3	173	1.2	80			7103		
9.0	196	1.0	100			7380		
18.7	138	1.8	75	PC071+NMRV075	71B4	6000	293	
15.6	154	1.9	90			6375		
11.7	191	1.5	120			7017		
9.3	223	1.1	150			7380		
7.8	254	0.9	180			7380		
12.0	206	1.6	75	PC080+NMRV075	80A6	6952	293	
10.0	230	1.7	90			7380		
7.5	283	1.3	120			7380		
6.0	324	1.0	150			7380		
4.7	405	1.0	300	NMRV040/075	71B4	7380	298	
3.5	498	0.7	400			7380		
11.3	185	1.7	80	NMRV090	80A6	7859	286	
9.0	212	1.3	100			8180		




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.37	7.8	268	1.5	180	PC071+NMRV090	71B4	8180	293
	5.8	321	1.1	240			8180	
	4.7	371	0.9	300			8180	
	6.0	347	1.6	150	PC080+NMRV090	80A6	8180	294
	5.0	389	1.3	180			8180	
	3.8	471	1.0	240			8180	
	4.7	402	1.5	300	NMRV040/090	71B4	8180	298
	3.5	523	1.2	400			8180	
	2.8	611	0.9	500			8180	
	2.3	757	0.8	600			8180	
	3.8	509	1.5	240	PC080+NMRV105	80A6	10320	294
	3.0	577	1.2	300			10320	
	1.9	950	1.2	750	NMRV050/105	71B4	10320	298
	1.6	1079	1.0	900			10320	
	1.2	1396	0.7	1200			10320	
	3.8	509	1.6	240	PC080+NMRV110	80A6	10320	294
	3.0	577	1.3	300			10320	
	1.9	950	1.3	750	NMRV050/110	71B4	10320	299
1.6	1079	1.2	900	10320				
1.2	1396	0.8	1200	10320				
0.9	1674	1.1	1500	NMRV063/130	71B4	13500	299	
0.78	1887	0.9	1800			13500		
0.8	1775	1.2	1800	NMRV063/150	71B4	18000	299	
0.6	2141	1.2	2400			18000		
0.5	2535	0.9	3000			18000		
0.55	560.0	8.4	2.8	5	NMRV040	71B2	912	282
	373.3	13	2.2	7.5			1044	
	280.0	17	1.8	10			1149	
	186.7	24	1.3	15			1315	
	140.0	31	0.9	20			1447	
	112.0	37	0.8	25			1559	
	280.0	17	2.0	5	NMRV040	71C4	1149	282
	186.7	24	1.6	7.5			1315	
	140.0	32	1.3	10			1447	
	93.3	46	0.9	15			1657	
	140.0	31	1.7	20	NMRV050	71B2	1987	283
	112.0	38	1.4	25			2140	
	93.3	43	1.5	30			2274	
	70.0	55	1.1	40			2503	
	56.0	65	0.8	50			2696	
	46.7	74	0.7	60			2865	
	280.0	17	3.7	5			NMRV050	
	186.7	25	2.9	7.5	1805			



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.55	140.0	32	2.2	10	NMRV050	80A4	1987	283
	93.3	46	1.6	15			2274	
	70.0	59	1.2	20			2503	
	56.0	71	1.0	25			2696	
	46.7	81	1.0	30			2865	
120.0	38	2.2	7.5	NMRV050	80B6	2091	283	
90.0	49	1.7	10			2302		
60.0	69	1.2	15			2635		
45.0	89	0.9	20			2900		
70.0	56	1.9	40	NMRV063	71B2	3272	284	
56.0	67	1.5	50			3524		
46.7	77	1.2	60			3745		
35.0	95	0.9	80			4122		
28.0	109	0.7	100			4440		
70.0	61	2.2	20	NMRV063	80A4	3272	284	
56.0	73	1.8	25			3524		
46.7	83	1.9	30			3745		
35.0	105	1.4	40			4122		
28.0	124	1.1	50			4440		
23.3	140	0.9	60	4719				
60.0	71	2.2	15	NMRV063	80B6	3444	284	
45.0	90	1.6	20			3791		
36.0	109	1.3	25			4084		
30.0	123	1.4	30			4339		
22.5	152	1.1	40			4776		
18.7	200	0.8	75	PC071+NMRV063	71C4	5083	292	
15.6	219	0.9	90			5401		
35.0	99	1.3	80	NMRV075	71B2	4865	285	
28.0	114	1.0	100			5241		
35.0	108	2.0	40	NMRV075	80A4	4865	285	
28.0	129	1.6	50			5241		
23.3	146	1.4	60			5569		
17.5	180	1.1	80			6130		
14.0	206	0.9	100			6603		
30.0	128	2.0	30	NMRV075	80B6	5122	285	
22.5	159	1.5	40			5637		
18.0	187	1.2	50			6073		
15.0	214	1.0	60			6453		
18.7	205	1.2	75	PC071+NMRV075	71C4	6000	293	
15.6	230	1.3	90			6375		
11.7	284	1.0	120			7017		
18.7	205	1.2	75	PC080+NMRV075	80A4	6000	293	
15.6	230	1.3	90			6375		
11.7	284	1.0	120			7017		
9.3	332	0.8	150			7380		




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.55	12.0	306	1.1	75	PC080+NMRV075	80B6	6952	293
	10.0	341	1.1	90			7380	
	17.5	189	1.5	80	NMRV090	80A4	6783	286
	14.0	221	1.2	100			7306	
	18.0	198	2.0	50	NMRV090	80B6	6719	286
	15.0	224	1.6	60			7140	
	11.3	275	1.1	80			7859	
	9.0	315	0.9	100			8180	
	15.6	240	2.3	90	PC080+NMRV090	80A4	7054	294
	11.7	297	1.6	120			7764	
	9.3	355	1.3	150			8180	
	7.8	398	1.0	180			8180	
	10.0	357	2.0	90	PC080+NMRV090	80B6	8174	294
	7.5	441	1.4	120			8180	
	6.0	516	1.1	150			8180	
	5.0	578	0.9	180			8180	
	9.3	306	2.0	300	NMRV040/090	71B2	8180	298
	7.0	403	1.5	400			8180	
	5.6	470	1.2	500			8180	
	17.5	201	2.4	80	NMRV105	80A4	8571	287
	14.0	236	1.9	100			9232	
	11.3	294	1.8	80	NMRV105	80B6	9931	287
	9.0	338	1.4	100			10320	
	7.8	425	1.7	180	PC080+NMRV105	80A4	10320	294
	5.8	513	1.2	240			10320	
	4.7	597	1.0	300			10320	
	7.5	462	2.2	120	PC080+NMRV105	80B6	10320	294
	6.0	552	1.8	150			10320	
	5.0	620	1.5	180			10320	
	3.8	756	1.0	240			10320	
	4.7	639	1.7	300	NMRV050/105	80A4	10320	298
	3.5	826	1.2	400			10320	
	2.8	984	1.0	500			10320	
	2.3	1181	0.9	600			10320	
	1.9	1411	0.8	750			10320	
	17.5	201	2.6	80	NMRV110	80A4	8571	288
	14.0	236	2.0	100			9232	
	11.3	294	1.9	80	NMRV110	80B6	9931	288
	9.0	338	1.5	100			10320	
	7.8	425	1.8	180	PC080+NMRV110	80A4	10320	294
	5.8	513	1.3	240			10320	
	4.7	597	1.0	300			10320	
	7.5	462	2.6	120	PC080+NMRV110	80B6	10320	294
	6.0	552	2.0	150			10320	
	5.0	620	1.6	180			10320	
	3.8	756	1.1	240			10320	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.55	4.7	639	2.0	300	NMRV050/110	80A4	10320	299
	3.5	826	1.4	400			10320	
	2.8	984	1.1	500			10320	
	2.3	1181	1.0	600			10320	
	1.9	1411	0.9	750			10320	
	3.8	756	1.6	240	PC080+NMRV130	80B6	13500	295
	3.0	858	1.3	300			13500	
	2.8	996	1.6	500	NMRV063/130	80A4	13500	299
	1.9	1471	1.2	750			13500	
	1.2	2132	0.8	1200			13500	
	0.8	2638	0.8	1800	NMRV063/150	80A4	18000	299
	0.6	3182	0.8	2400			18000	
0.75	560.0	12	2.1	5	NMRV040	71C2	912	282
	373.3	17	1.6	7.5			1044	
	280.0	23	1.3	10			1149	
	186.7	32	1.0	15			1315	
	560.0	12	3.9	5	NMRV050	80A2	1251	283
	373.3	17	3.0	7.5			1433	
	280.0	23	2.4	10			1577	
	186.7	33	1.7	15			1805	
	140.0	42	1.3	20			1987	
	112.0	51	1.0	25			2140	
	93.3	58	1.1	30			2274	
	280.0	23	2.7	5			NMRV050	
186.7	34	2.1	7.5	1805				
140.0	44	1.6	10	1987				
93.3	63	1.2	15	2274				
70.0	81	0.9	20	2503				
	140.0	43	2.3	20	NMRV063	80A2	2597	284
	112.0	52	1.8	25			2797	
	93.3	60	2.0	30			2973	
	70.0	77	1.4	40			3272	
	56.0	91	1.1	50			3524	
	46.7	104	0.9	60			3745	
	93.3	64	2.2	15			NMRV063	
70.0	83	1.6	20	3272				
56.0	100	1.3	25	3524				
46.7	114	1.4	30	3745				
35.0	143	1.0	40	4122				




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)			
0.75	120.0	52	2.9	7.5	NMRV063	90S6	2734	284		
	90.0	68	2.3	10			3009			
	60.0	97	1.6	15			3444			
	45.0	123	1.2	20			3791			
	36.0	149	0.9	25			4084			
	30.0	167	1.0	30			4339			
46.7	109	1.3	60	NMRV075	80A2	4421	285			
28.0	156	0.8	100			5241				
56.0	102	2.0	25	NMRV075	80B4	4160	285			
46.7	117	2.0	30			4421				
35.0	147	1.5	40			4865				
28.0	177	1.2	50			5241				
23.3	200	1.0	60			5569				
60.0	98	2.4	15			NMRV075		90S6	4065	285
45.0	126	1.9	20	4474						
36.0	153	1.4	25	4820						
30.0	174	1.5	30	5122						
22.5	216	1.1	40	5637						
18.7	280	0.9	75	PC080+NMRV075	80B4		6000		293	
15.6	313	1.0	90			6375				
35.0	141	1.6	80	NMRV090	80A2	5383	286			
28.0	166	1.2	100			5799				
28.0	184	1.8	50	NMRV090	80B4	5799	286			
23.3	212	1.5	60			6163				
17.5	258	1.1	80			6783				
14.0	302	0.9	100			7306				
30.0	179	2.6	30			NMRV090		90S6	5667	286
22.5	226	1.8	40						6238	
18.0	271	1.4	50	6719						
15.0	306	1.1	60	7140						
15.6	327	1.7	90	PC080+NMRV090	80B4	7054	294			
11.7	405	1.2	120			7764				
9.3	483	0.9	150			8180				
7.8	543	0.7	180			8180				
7.0	549	1.1	400	NMRV040/090	80A2	8180	298			
5.6	642	0.9	500			8180				
17.5	274	1.8	80	NMRV105	80B4	8571	287			
14.0	322	1.4	100			9232				
15.0	325	1.9	60	NMRV105	90S6	9023	287			
11.3	401	1.3	80			9931				
9.0	462	1.1	100			10320				
11.7	430	1.9	120			PC080+NMRV105		80B4	9811	294
9.3	506	1.6	150	10320						
7.8	580	1.2	180	10320						
5.8	700	0.9	240	10320						
12.4	393	2.8	73	PC090+NMRV105	90S6	9614	294			
9.3	508	2.0	96.8			10320				
7.4	607	1.6	121			10320				



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)																																																																																																																																																																																																																																																																																																						
0.75	6.2	682	1.3	145.2	PC090+NMRV105	90S6	10320	294																																																																																																																																																																																																																																																																																																					
	4.6	832	0.9	193.6			10320			9.3	446	2.5	300	NMRV050/105	80A2	10320	298		7.0	563	1.8	400	10320		5.6	687	1.5	500	10320		4.7	871	1.3	300	NMRV050/105	80B4	10320	298		3.5	1126	0.9	400	10320		17.5	274	1.9	80	NMRV110	80B4	8571	288		14.0	322	1.5	100	9232		15.0	325	2.1	60	NMRV110	90S6	9023	288		11.3	401	1.4	80	9931		9.0	462	1.1	100	10320		11.7	430	2.2	120	PC080+NMRV110	80B4	9811	294		9.3	506	1.7	150	10320		7.8	580	1.3	180	10320		5.8	700	0.9	240	10320		12.4	393	3.2	73	PC090+NMRV110	90S6	9614	294		9.3	508	2.3	96.8	10320		7.4	607	1.8	121	10320		6.2	682	1.5	145.2	10320		4.6	832	1.0	193.6	10320		9.3	446	2.8	300	NMRV050/110	80A2	10320	299		7.0	563	2.1	400	10320		5.6	687	1.6	500	10320		4.7	871	1.5	300	NMRV050/110	80B4	10320	299		3.5	1126	1.1	400	10320		11.3	407	2.1	80	NMRV130	90S6	12989	289		9.0	470	1.7	100	13500		5.8	712	1.4	240	PC080+NMRV130	80B4	13500	295		4.7	813	1.1	300	13500		12.4	399	4.4	73	PC090+NMRV130	90S6	12575	295		9.3	508	3.2	96.8	13500		7.4	607	2.6	121	13500		6.2	682	2.1	145.2	13500		4.6	832	1.5	193.6	13500		3.7	944	1.2	242	13500		2.8	1358	1.1	500	NMRV063/130	80B4	13500	299		2.3	1631	1.0	600	13500		1.9	2005	0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	NMRV063/150	80B4	18000	299		2.3	1529	1.7	600	18000		1.9	1783	1.3	750	18000		1.6	2215	0.9	900	18000		1.2
	9.3	446	2.5	300	NMRV050/105	80A2	10320	298																																																																																																																																																																																																																																																																																																					
	7.0	563	1.8	400			10320																																																																																																																																																																																																																																																																																																						
	5.6	687	1.5	500			10320																																																																																																																																																																																																																																																																																																						
	4.7	871	1.3	300	NMRV050/105	80B4	10320	298																																																																																																																																																																																																																																																																																																					
	3.5	1126	0.9	400			10320																																																																																																																																																																																																																																																																																																						
	17.5	274	1.9	80	NMRV110	80B4	8571	288																																																																																																																																																																																																																																																																																																					
	14.0	322	1.5	100			9232																																																																																																																																																																																																																																																																																																						
	15.0	325	2.1	60	NMRV110	90S6	9023	288																																																																																																																																																																																																																																																																																																					
	11.3	401	1.4	80			9931																																																																																																																																																																																																																																																																																																						
	9.0	462	1.1	100			10320																																																																																																																																																																																																																																																																																																						
	11.7	430	2.2	120	PC080+NMRV110	80B4	9811	294																																																																																																																																																																																																																																																																																																					
	9.3	506	1.7	150			10320																																																																																																																																																																																																																																																																																																						
	7.8	580	1.3	180			10320																																																																																																																																																																																																																																																																																																						
	5.8	700	0.9	240			10320																																																																																																																																																																																																																																																																																																						
	12.4	393	3.2	73	PC090+NMRV110	90S6	9614	294																																																																																																																																																																																																																																																																																																					
	9.3	508	2.3	96.8			10320																																																																																																																																																																																																																																																																																																						
	7.4	607	1.8	121			10320																																																																																																																																																																																																																																																																																																						
	6.2	682	1.5	145.2			10320																																																																																																																																																																																																																																																																																																						
	4.6	832	1.0	193.6			10320																																																																																																																																																																																																																																																																																																						
	9.3	446	2.8	300	NMRV050/110	80A2	10320	299																																																																																																																																																																																																																																																																																																					
	7.0	563	2.1	400			10320																																																																																																																																																																																																																																																																																																						
	5.6	687	1.6	500			10320																																																																																																																																																																																																																																																																																																						
	4.7	871	1.5	300	NMRV050/110	80B4	10320	299																																																																																																																																																																																																																																																																																																					
	3.5	1126	1.1	400			10320																																																																																																																																																																																																																																																																																																						
	11.3	407	2.1	80	NMRV130	90S6	12989	289																																																																																																																																																																																																																																																																																																					
	9.0	470	1.7	100			13500																																																																																																																																																																																																																																																																																																						
	5.8	712	1.4	240	PC080+NMRV130	80B4	13500	295																																																																																																																																																																																																																																																																																																					
	4.7	813	1.1	300			13500																																																																																																																																																																																																																																																																																																						
	12.4	399	4.4	73	PC090+NMRV130	90S6	12575	295																																																																																																																																																																																																																																																																																																					
	9.3	508	3.2	96.8			13500																																																																																																																																																																																																																																																																																																						
	7.4	607	2.6	121			13500																																																																																																																																																																																																																																																																																																						
	6.2	682	2.1	145.2			13500																																																																																																																																																																																																																																																																																																						
	4.6	832	1.5	193.6			13500																																																																																																																																																																																																																																																																																																						
	3.7	944	1.2	242			13500																																																																																																																																																																																																																																																																																																						
	2.8	1358	1.1	500	NMRV063/130	80B4	13500	299																																																																																																																																																																																																																																																																																																					
	2.3	1631	1.0	600			13500																																																																																																																																																																																																																																																																																																						
	1.9	2005	0.9	750			13500																																																																																																																																																																																																																																																																																																						
	1.6	2283	0.8	900			13500																																																																																																																																																																																																																																																																																																						
	2.8	1291	1.8	500	NMRV063/150	80B4	18000	299																																																																																																																																																																																																																																																																																																					
	2.3	1529	1.7	600			18000																																																																																																																																																																																																																																																																																																						
	1.9	1783	1.3	750			18000																																																																																																																																																																																																																																																																																																						
	1.6	2215	0.9	900			18000																																																																																																																																																																																																																																																																																																						
	1.2	2680	1.0	1200			18000																																																																																																																																																																																																																																																																																																						




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.92	280.0	28	2.2	5	NMRV050	80C4	1577	283
	186.7	41	1.7	7.5			1805	
	140.0	54	1.3	10			1987	
	93.3	77	1.0	15			2274	
	140.0	55	2.4	10	NMRV063	80C4	2597	284
	93.3	78	1.8	15			2973	
	70.0	102	1.3	20			3272	
	56.0	122	1.1	25			3524	
	46.7	139	1.1	30			3745	
	35.0	176	0.8	40			4122	
	70.0	103	2.0	20	NMRV075	80C4	3862	285
	56.0	126	1.6	25			4160	
	46.7	143	1.6	30			4421	
	35.0	181	1.2	40			4865	
	28.0	217	1.0	50			5241	
	23.3	245	0.8	60			5569	
18.7	344	0.7	75	PC080+NMRV075	80C4	6000	293	
15.6	384	0.8	90			6375		
28.0	226	1.5	50	NMRV090	80C4	5799	286	
23.3	260	1.2	60			6163		
17.5	316	0.9	80			6783		
15.6	401	1.4	90	PC080+NMRV090	80C4	7054	294	
11.7	497	1.0	120			7764		
9.3	593	0.8	150			8180		
17.5	336	1.5	80	NMRV105	80C4	8571	287	
14.0	395	1.2	100			9232		
18.7	367	2.2	75	PC080+NMRV105	80C4	8388	294	
11.7	527	1.5	120			9811		
9.3	621	1.3	150			10320		
7.8	712	1.0	180			10320		
4.7	1069	1.0	300	NMRV050/105	80C4	10320	298	
3.5	1382	0.7	400			10320		
17.5	336	1.5	80	NMRV110	80C4	8571	288	
14.0	395	1.2	100			9232		
18.7	367	2.5	75	PC080+NMRV110	80C4	8388	294	
11.7	527	1.8	120			9811		
9.3	621	1.4	150			10320		
7.8	712	1.1	180			10320		
4.7	1069	1.2	300	NMRV050/110	80C4	10320	299	
3.5	1382	0.9	400			10320		
3.5	1398	1.2	400	NMRV063/130	80C4	13500	299	
2.8	1665	0.9	500			13500		
7.8	712	1.5	180	PC080+NMRV130	80C4	13500	295	
5.8	874	1.1	240			13500		
4.7	998	0.9	300			13500		



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.92	2.8	1583	1.5	500	NMRV063/150	80C4	18000	299
	2.3	1875	1.4	600			18000	
	1.9	2188	1.1	750			18000	
	1.6	2717	0.8	900			18000	
	1.2	3288	0.8	1200			18000	
1.1	560.0	17	2.6	5	NMRV050	80B2	1251	283
	373.3	25	2.1	7.5			1433	
	280.0	33	1.6	10			1577	
	186.7	48	1.2	15			1805	
	140.0	62	0.9	20			1987	
	186.7	48	2.1	15	NMRV063	80B2	2359	284
	140.0	63	1.6	20			2597	
	112.0	77	1.2	25			2797	
	93.3	88	1.4	30			2973	
	70.0	113	1.0	40			3272	
	120.0	76	2.0	7.5	NMRV063	90L6	2734	284
	90.0	99	1.5	10			3009	
	60.0	142	1.1	15			3444	
	45.0	180	0.8	20			3791	
	186.7	50	2.6	7.5			NMRV063	
	140.0	65	2.0	10	2597			
	93.3	93	1.5	15	2973			
	70.0	122	1.1	20	3272			
	56.0	146	0.9	25	3524			
	46.7	167	1.0	30	3745			
112.0	78	1.9	25	NMRV075	80B2	3302	285	
93.3	90	1.9	30			3509		
70.0	116	1.4	40			3862		
56.0	139	1.1	50			4160		
46.7	160	0.9	60			4421		
90.0	100	2.3	10	NMRV075	90L6	3551	285	
60.0	144	1.6	15			4065		
45.0	184	1.3	20			4474		
36.0	225	1.0	25			4820		
30.0	256	1.0	30			5122		
93.3	96	2.1	15	NMRV075	90S4	3509	285	
70.0	123	1.7	20			3862		
56.0	150	1.3	25			4160		
46.7	171	1.3	30			4421		
35.0	216	1.0	40			4865		
35.0	207	1.1	80	NMRV090	80B2	5383	286	
28.0	244	0.8	100			5799		
36.0	231	1.6	25	NMRV090	90L6	5333	286	
30.0	263	1.8	30			5667		
22.5	331	1.2	40			6238		
18.0	397	1.0	50			6719		
15.0	448	0.8	60			7140		




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.1	35.0	225	1.6	40	NMRV090	90S4	5383	286
	28.0	270	1.3	50			5799	
	23.3	311	1.0	60			6163	
	22.5	345	2.0	40	NMRV105	90L6	7882	287
	18.0	414	1.6	50			8491	
	15.0	476	1.3	60			9023	
	11.3	588	0.9	80			9931	
	28.0	281	2.1	50	NMRV105	90S4	7328	287
	23.3	324	1.7	60			7787	
	17.5	402	1.2	80			8571	
	14.0	473	1.0	100			9232	
	12.4	576	1.9	73	PC090+NMRV105	90L6	9614	294
	9.3	746	1.4	96.8			10320	
	7.4	890	1.1	121			10320	
	6.2	1000	0.9	145.2			10320	
	19.3	392	2.2	73	PC090+NMRV105	90S4	8298	294
	14.5	508	1.6	96.8			9133	
	11.6	599	1.3	121			9838	
	9.6	686	1.0	145.2			10320	
	7.2	828	0.8	193.6			10320	
	9.3	654	1.7	300	NMRV050/105	80B2	10320	298
	7.0	845	1.2	400			10320	
	5.6	1007	1.0	500			10320	
	22.5	345	2.3	40	NMRV110	90L6	7882	288
	18.0	414	1.8	50			8491	
	15.0	476	1.4	60			9023	
	11.3	588	1.0	80			9931	
	28.0	281	2.3	50	NMRV110	90S4	7328	288
	23.3	324	1.9	60			7787	
	17.5	402	1.3	80			8571	
	14.0	473	1.0	100			9232	
	12.4	576	2.2	73	PC090+NMRV110	90L6	9614	294
	9.3	746	1.6	96.8			10320	
	7.4	890	1.2	121			10320	
	6.2	1000	1.0	145.2			10320	
	19.3	392	2.5	73	PC090+NMRV110	90S4	8298	294
	14.5	508	1.8	96.8			9133	
	11.6	599	1.5	121			9838	
	9.6	686	1.1	145.2			10320	
	7.2	828	0.8	193.6			10320	
	9.3	654	1.9	300			NMRV050/110	
	7.0	845	1.4	400	10320			
	5.6	1007	1.1	500	10320			
	11.3	598	1.4	80	NMRV130	90L6	12989	289
	9.0	689	1.1	100			13500	
	17.5	408	2.1	80	NMRV130	90S4	11210	289
	14.0	480	1.5	100			12076	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.1	12.4	585	3.0	73	PC090+NMRV130	90L6	12575	295
	9.3	746	2.2	96.8			13500	
	7.4	890	1.7	121			13500	
	6.2	1000	1.4	145.2			13500	
	4.6	1220	1.0	193.6			13500	
	19.3	398	3.5	73	PC090+NMRV130	90S4	10853	295
	14.5	508	2.6	96.8			11945	
	11.6	608	2.0	121			12868	
	9.6	686	1.6	145.2			13500	
	7.2	843	1.2	193.6			13500	
5.8	962	0.9	242	13500				
4.7	1312	1.3	300	NMRV063/130	90S4	13500	299	
3.5	1671	1.0	400			13500		
2.8	1991	0.8	500			13500		
9.3	753	3.1	150	NMRV063/150	90S4	18000	299	
7.0	966	2.4	200			18000		
5.6	1175	1.7	250			18000		
4.7	1364	1.7	300			18000		
3.5	1619	1.6	400			18000		
2.8	1893	1.2	500			18000		
2.3	2242	1.2	600			18000		
1.9	2616	0.9	750			18000		
1.5	560.0	23	1.9	5	NMRV050	80C2	1251	283
	373.3	35	1.5	7.5			1433	
	280.0	45	1.2	10			1577	
	186.7	65	0.9	15			1805	
	186.7	68	1.9	7.5	NMRV063	90L4	2359	284
	140.0	89	1.5	10			2597	
	93.3	127	1.1	15			2973	
	70.0	166	0.8	20			3272	
	373.3	35	2.7	7.5	NMRV063	90S2	1873	284
	280.0	46	2.1	10			2061	
186.7	66	1.6	15	2359				
140.0	86	1.2	20	2597				
112.0	105	0.9	25	2797				
93.3	120	1.0	30	2973				
120.0	105	2.0	7.5	NMRV075	100LA6	3227	285	
90.0	137	1.7	10			3551		
60.0	196	1.2	15			4065		
56.0	189	0.8	50	NMRV075	90S2	4160	285	
46.7	218	0.7	60			4421		
140.0	90	2.2	10	NMRV075	90L4	3065	285	
93.3	130	1.5	15			3509		
70.0	168	1.3	20			3862		
56.0	205	1.0	25			4160		
46.7	233	1.0	30			4421		
280.0	46	3.1	10			NMRV075		90S2
186.7	67	2.2	15	2785				




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.5	140.0	87	1.8	20	NMRV075	90S2	3065	285
	112.0	106	1.4	25			3302	
	93.3	123	1.4	30			3509	
	70.0	158	1.0	40			3862	
	90.0	138	2.7	10	NMRV090	100LA6	3929	286
	60.0	201	2.1	15			4498	
	45.0	258	1.5	20			4951	
	36.0	314	1.2	25			5333	
	30.0	358	1.3	30			5667	
	70.0	172	2.1	20	NMRV090	90L4	4273	286
	56.0	210	1.6	25			4603	
	46.7	239	1.7	30			4891	
	35.0	307	1.2	40			5383	
	28.0	368	0.9	50			5799	
	23.3	424	0.8	60			6163	
	56.0	194	1.4	50	NMRV090	90S2	4603	286
	46.7	227	1.1	60			4891	
	45.0	264	2.4	20	NMRV105	100LA6	6256	287
	36.0	322	2.0	25			6739	
	30.0	363	2.0	30			7161	
	22.5	471	1.5	40			7882	
	18.0	565	1.2	50			8491	
	15.0	649	1.0	60			9023	
	35.0	319	1.9	40	NMRV105	90L4	6803	287
	28.0	384	1.6	50			7328	
	23.3	442	1.3	60			7787	
	17.5	548	0.9	80			8571	
	46.7	236	1.8	60	NMRV105	90S2	6181	287
	35.0	299	1.3	80			6803	
	28.0	353	1.0	100			7328	
	19.3	535	1.6	73	PC090+NMRV105	90L4	8298	294
	14.5	693	1.2	96.8			9133	
	11.6	817	1.0	121			9838	
	9.6	936	0.8	145.2			10320	
	9.3	891	1.2	300	NMRV050/105	80C2	10320	298
	7.0	1153	0.9	400			10320	
	5.6	1373	0.7	500			10320	
	45.0	264	2.7	20	NMRV110	100LA6	6256	288
	36.0	322	2.4	25			6739	
	30.0	363	2.3	30			7161	
	22.5	471	1.7	40			7882	
	18.0	565	1.3	50			8491	
	15.0	649	1.1	60			9023	
	35.0	319	2.2	40	NMRV110	90L4	6803	288
	28.0	384	1.7	50			7328	
	23.3	442	1.4	60			7787	
	17.5	548	0.9	80			8571	
	46.7	236	2.0	60			NMRV110	
	35.0	299	1.3	80	6803			
	28.0	353	1.0	100	7328			



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.5	19.3	535	1.9	73	PC090+NMRV110	90L4	8298	294
	14.5	693	1.3	96.8			9133	
	11.6	817	1.1	121			9838	
	9.6	936	0.8	145.2			10320	
	9.3	891	1.4	300	NMRV050/110	90S2	10320	299
	7.0	1153	1.0	400			10320	
	5.6	1373	0.8	500			10320	
	22.5	478	2.3	40	NMRV130	100LA6	10309	289
	18.0	573	1.8	50			11105	
	15.0	659	1.4	60			11801	
	11.3	815	1.1	80			12989	
	17.5	557	1.5	80	NMRV130	90L4	11210	289
	14.0	655	1.1	100			12076	
	19.3	542	2.6	73	PC090+NMRV130	90L4	10853	295
	14.5	693	1.9	96.8			11945	
	11.6	830	1.5	121			12868	
	9.6	936	1.1	145.2			13500	
	7.2	1149	0.8	194			13500	
	9.3	915	1.9	300	NMRV063/130	90S2	13500	299
	7.0	1166	1.4	400			13500	
	5.6	1389	1.1	500			13500	
	4.7	1789	1.0	300	NMRV063/130	90L4	13500	299
	3.5	2279	0.7	400			13500	
	9.3	1026	2.3	150	NMRV063/150	90L4	18000	299
	7.0	1317	1.8	200			18000	
	5.6	1602	1.3	250			18000	
	4.7	1860	1.3	300			18000	
	3.5	2208	1.2	400			18000	
	2.8	2582	0.9	500			18000	
	2.3	3057	0.9	600			18000	
1.84	186.7	83	1.5	7.5	NMRV063	90LL4	2359	284
	140.0	109	1.2	10			2597	
	93.3	156	0.9	15			2973	
	186.7	84	2.2	7.5	NMRV075	90LL4	2785	285
	140.0	110	1.8	10			3065	
	93.3	160	1.2	15			3509	
	70.0	206	1.0	20			3862	
	56.0	251	0.8	25			4160	
	46.7	286	0.8	30			4421	
		70.0	211	1.7			20	
56.0		257	1.3	25	4603			
46.7		294	1.4	30	4891			
35.0		377	1.0	40	5383			
28.0		452	0.8	50	5799			
	56.0	264	2.2	25	NMRV105	90LL4	5816	287
	35.0	392	1.6	40			6803	
	28.0	471	1.3	50			7328	
	23.3	542	1.0	60			7787	




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.84	19.3	656	1.3	73	PC090+NMRV105	90LL4	8298	294
	14.5	850	1.0	96.8			9133	
	11.6	1002	0.8	121			9838	
	56.0	264	2.6	25	NMRV110	90LL4	5816	288
	35.0	392	1.8	40			6803	
	28.0	471	1.4	50			7328	
	23.3	542	1.1	60			7787	
	19.3	656	1.5	73	PC090+NMRV110	90LL4	8298	294
	14.5	850	1.1	96.8			9133	
	11.6	1002	0.9	121			9838	
	17.5	683	1.2	80	NMRV130	90LL4	11210	289
	14.0	803	0.9	100			12076	
	19.3	665	2.1	73	PC090+NMRV130	90LL4	10853	295
	14.5	850	1.5	96.8			11945	
	11.6	1018	1.2	121			12868	
9.6	1148	0.9	145.2	13500				
9.3	1259	1.9	150	NMRV063/150	90LL4	18000	299	
7.0	1616	1.4	200			18000		
5.6	1966	1.0	250			18000		
4.7	2281	1.0	300			18000		
3.5	2708	1.0	400			18000		
2.8	3167	0.7	500			18000		
373.3	51	1.8	7.5			NMRV063		90L2
280.0	67	1.5	10	2061				
186.7	97	1.1	15	2359				
186.7	100	1.8	7.5	NMRV075	100LA4	2785	285	
140.0	132	1.5	10			3065		
93.3	191	1.0	15			3509		
373.3	51	2.5	7.5	NMRV075	90L2	2210	285	
280.0	68	2.1	10			2433		
186.7	98	1.5	15			2785		
140.0	128	1.3	20			3065		
112.0	156	1.0	25			3302		
93.3	180	0.9	30			3509		
186.7	101	2.9	7.5	NMRV090	100LA4	3081	286	
140.0	134	2.3	10			3391		
93.3	194	1.9	15			3882		
70.0	252	1.4	20			4273		
56.0	308	1.1	25			4603		
46.7	351	1.2	30			4891		
120.0	156	2.2	7.5			NMRV090		112M6
90.0	203	1.8	10	3929				
60.0	294	1.4	15	4498				
45.0	378	1.0	20	4951				
140.0	131	2.0	20	NMRV090	90L2	3391	286	
112.0	159	1.6	25			3653		
93.3	185	1.7	30			3882		
70.0	237	1.2	40			4273		
56.0	285	0.9	50			4603		



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
2.2	70.0	255	2.2	20	NMRV105	100LA4	5399	287
	56.0	315	1.9	25			5816	
	46.7	356	1.8	30			6181	
	35.0	468	1.3	40			6803	
	28.0	563	1.1	50			7328	
	23.3	648	0.9	60			7787	
	90.0	205	3.0	10	NMRV105	112M6	4965	287
	60.0	298	2.2	15			5684	
	45.0	388	1.6	20			6256	
	36.0	473	1.4	25			6739	
	30.0	532	1.4	30			7161	
	112.0	163	2.7	25	NMRV105	90L2	4616	287
	93.3	187	2.6	30			4905	
	70.0	246	1.9	40			5399	
	56.0	296	1.5	50			5816	
	46.7	347	1.2	60			6181	
	38.6	398	1.8	73	PC090+NMRV105	90L2	6586	294
	28.9	516	1.3	96.8			7249	
	23.1	617	1.1	121			7809	
	70.0	255	2.5	20	NMRV110	100LA4	5399	288
	56.0	315	2.2	25			5816	
	46.7	356	2.0	30			6181	
	35.0	468	1.5	40			6803	
	28.0	563	1.2	50			7328	
	23.3	648	1.0	60			7787	
	90.0	205	3.5	10	NMRV110	112M6	4965	288
	60.0	298	2.6	15			5684	
	45.0	388	1.9	20			6256	
	36.0	473	1.6	25			6739	
	30.0	532	1.6	30			7161	
	112.0	163	3.1	25	NMRV110	90L2	4616	288
	93.3	187	3.0	30			4905	
	70.0	246	2.1	40			5399	
	56.0	296	1.7	50			5816	
	46.7	347	1.4	60			6181	
	38.6	398	2.1	73	PC090+NMRV110	90L2	6586	294
	28.9	516	1.5	96.8			7249	
	23.1	617	1.2	121			7809	
	35.0	468	2.2	40	NMRV130	100LA4	8897	289
	28.0	563	1.7	50			9584	
	23.3	648	1.4	60			10185	
	17.5	816	1.0	80			11210	
	36.0	479	2.2	25	NMRV130	112M6	8814	289
	30.0	546	2.1	30			9366	
	22.5	700	1.6	40			10309	
	18.0	840	1.2	50			11105	
	15.0	966	1.0	60			11801	
	35.0	438	1.3	80	NMRV130	90L2	8897	289
	28.0	525	1.0	100			9584	




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
2.2	38.6	409	2.9	73	PC090+NMRV130	90L2	8614	295
	28.9	545	2.0	96.8			9481	
	23.1	654	1.6	121			10213	
	19.3	752	1.3	145.2			10853	
	28.0	570	2.5	50	NMRV150	100LA4	13103	290
	23.3	657	1.9	60			13924	
	17.5	816	1.4	80			15325	
	14.0	960	1.0	100			16508	
3	373.3	70	1.9	7.5	NMRV075	100LA2	2210	285
	280.0	92	1.6	10			2433	
	186.7	137	1.4	7.5	NMRV075	100LB4	2785	285
	140.0	180	1.1	10			3065	
	93.3	261	0.8	15			3509	
	373.3	71	3.0	7.5	NMRV090	100LA2	2446	286
	280.0	92	2.6	10			2692	
	186.7	138	2.1	7.5	NMRV090	100LB4	3081	286
	140.0	182	1.7	10			3391	
	93.3	264	1.4	15			3882	
	70.0	344	1.0	20			4273	
	56.0	420	0.8	25			4603	
	46.7	479	0.9	30			4891	
	93.3	264	2.2	15			NMRV105	
70.0	348	1.6	20	5399				
56.0	430	1.4	25	5816				
46.7	485	1.3	30	6181				
35.0	638	1.0	40	6803				
28.0	767	0.8	50	7328				
120.0	212	2.7	7.5	NMRV105	132S6	4511		287
90.0	280	2.2	10			4965		
60.0	406	1.6	15			5684		
45.0	528	1.2	20			6256		
93.3	264	2.5	15			NMRV110	100LB4	
70.0	348	1.9	20	5399				
56.0	430	1.6	25	5816				
46.7	485	1.5	30	6181				
35.0	638	1.1	40	6803				
28.0	767	0.9	50	7328				
120.0	212	3.1	7.5	NMRV110	132S6			4511
90.0	280	2.5	10			4965		
60.0	406	1.9	15			5684		
45.0	528	1.4	20			6256		
56.0	430	2.2	25			NMRV130	100LB4	7607
46.7	491	2.1	30	8084				
35.0	638	1.6	40	8897				
28.0	767	1.3	50	9584				
23.3	884	1.0	60	10185				
17.5	1113	0.8	80	11210				
90.0	280	3.4	10	NMRV130	132S6			6494
60.0	406	2.6	15			7434		
45.0	535	1.9	20			8182		



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)			
3	36.0	653	1.6	25	NMRV130	132S6	8814	289		
	30.0	745	1.6	30			9366			
	22.5	955	1.2	40			10309			
	28.0	778	1.8	50	NMRV150	100LB4	13103	290		
	23.3	896	1.4	60			13924			
	17.5	1113	1.0	80			15325			
14.0	1310	0.8	100	16508						
4	373.3	93	1.4	7.5	NMRV075	112M2	2210	285		
	280.0	123	1.2	10			2433			
	186.7	182	1.0	7.5	NMRV075	112M4	2785	285		
	140.0	240	0.8	10			3065			
	373.3	94	2.2	7.5	NMRV090	112M2	2446	286		
	280.0	123	1.9	10			2692			
	186.7	184	1.6	7.5	NMRV090	112M4	3081	286		
	140.0	243	1.3	10			3391			
	93.3	352	1.0	15	NMRV105	112M4	3882	287		
	70.0	458	0.8	20			4273			
	140.0	243	2.1	10			4285			
	93.3	352	1.6	15			4905			
	70.0	464	1.2	20	NMRV105	132M6	5399	287		
	56.0	573	1.0	25			5816			
	46.7	647	1.0	30			6181			
	120.0	283	2.0	7.5			4511			
	90.0	374	1.7	10	NMRV105	132M6	4965	287		
	60.0	541	1.2	15			5684			
	140.0	243	2.5	10	NMRV110	112M4	4285	288		
	93.3	352	1.9	15			4905			
	70.0	464	1.4	20	NMRV110	132M6	5399	288		
	56.0	573	1.2	25			5816			
	46.7	647	1.1	30			6181			
	120.0	283	2.3	7.5			4511			
	90.0	374	1.9	10	NMRV110	132M6	4965	288		
	60.0	541	1.4	15			5684			
	56.0	573	1.6	25	NMRV130	112M4	7607	289		
	46.7	655	1.6	30			8084			
	35.0	851	1.2	40	NMRV130	132M6	8897	289		
	28.0	1023	1.0	50			9584			
23.3	1179	0.8	60	10185						
120.0	287	3.1	7.5	5901						
90.0	374	2.6	10	NMRV130	132M6	6494	289			
60.0	541	2.0	15			7434				
45.0	713	1.5	20	NMRV130	132M6	8182	289			
36.0	870	1.2	25			8814				
28.0	1037	1.4	50			NMRV150		112M4	13103	290
23.3	1195	1.1	60						13924	
17.5	1484	0.8	80	15325						





NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
4.8	186.7	221	1.3	7.5	NMRV090	112MS4	3081	286
	140.0	291	1.1	10			3391	
	93.3	422	0.9	15			3882	
	186.7	221	2.2	7.5	NMRV105	112MS4	3893	287
	140.0	291	1.8	10			4285	
	93.3	422	1.3	15			4905	
	70.0	557	1.0	20			5399	
	56.0	688	0.9	25			5816	
	186.7	221	2.5	7.5	NMRV110	112MS4	3893	288
	140.0	291	2.1	10			4285	
	93.3	422	1.6	15			4905	
	70.0	557	1.2	20			5399	
	56.0	688	1.0	25			5816	
	56.0	688	1.4	25	NMRV130	112MS4	7607	289
	46.7	786	1.3	30			8084	
35.0	1022	1.0	40	8897				
28.0	1228	0.8	50	9584				
28.0	1244	1.1	50	13103				
23.3	1434	0.9	60	13924				
186.7	253	1.9	7.5	NMRV105			132S4	
140.0	334	1.6	10		4285			
93.3	484	1.2	15		4905			
70.0	638	0.9	20		5399			
186.7	253	2.2	7.5	NMRV110	132S4	3893	288	
140.0	334	1.8	10			4285		
93.3	484	1.4	15			4905		
70.0	638	1.0	20			5399		
140.0	334	2.5	10	NMRV130	132S4	5605	289	
93.3	490	1.9	15			6416		
70.0	645	1.4	20			7062		
56.0	788	1.2	25			7607		
46.7	900	1.2	30			8084		
35.0	1171	0.9	40			8897		
70.0	645	2.0	20			NMRV150		132S4
56.0	788	1.5	25	10400				
46.7	934	1.3	30	11051				
35.0	1171	1.3	40	12163				
28.0	1426	1.0	50	13103				
23.3	1643	0.8	60	13924				
7.5	186.7	345	1.4	7.5	NMRV105	132L4	3893	287
	140.0	455	1.1	10			4285	
	93.3	660	0.9	15			4905	
	186.7	345	1.6	7.5	NMRV110	132L4	3893	288
	140.0	455	1.3	10			4285	
	93.3	660	1.0	15			4905	




Prestazioni / Performance / Leistungen / Performances / Prestaciones

NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)				
7.5	186.7	349	2.1	7.5	NMRV130	132L4	5092	289			
	140.0	455	1.8	10			5605				
	93.3	668	1.4	15			6416				
	70.0	880	1.0	20			7062				
	56.0	1074	0.9	25			7607				
	46.7	1228	0.8	30			8084				
	35.0	1596	0.7	40	8897						
	70.0	880	1.5	20	NMRV150	132L4	9654	290			
	56.0	1074	1.1	25			10400				
	46.7	1274	0.9	30			11051				
35.0	1596	1.0	40	12163							
9.2	186.7	424	1.3	7.5	NMRV110	132M4	3893	288			
	186.7	428	1.8	7.5			NMRV130		132M4	5092	289
	140.0	559	1.5	10						5605	
	93.3	819	1.1	15						6416	
	70.0	1079	0.8	20						7062	
	56.0	1318	0.7	25						7607	
	70.0	1079	1.2	20	NMRV150	132M4	9654	290			
	56.0	1318	0.9	25			10400				
	46.7	1563	0.8	30			11051				
	35.0	1958	0.8	40			12163				
11	186.7	512	2.3	7.5	NMRV150	160M4	6962	290			
	140.0	675	1.8	10			7663				
	93.3	990	1.3	15			8771				
	70.0	1291	1.0	20			9654				
	56.0	1576	0.8	25			10400				
15	186.7	698	1.7	7.5	NMRV150	160L4	6962	290			
	140.0	921	1.3	10			7663				
	93.3	1351	0.9	15			8771				
	70.0	1760	0.7	20			9654				


Note / Notes / Aufzeichnung / Notes / Notas





NRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

(n1=2800)

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)			
12	5	0.79	560.0	NRV030	474	115	302		
13	7.5	0.58	373.3		542	125			
13	10	0.45	280.0		597	140			
13	15	0.31	186.7		683	140			
12	20	0.23	140.0		752	146			
16	25	0.25	112.0		810	210			
15	30	0.21	93.3		861	210			
14	40	0.16	70.0		948	127			
13	50	0.12	56.0		1021	128			
12	60	0.10	46.7		1085	126			
11	80	0.08	35.0		1194	130			
24	5	1.6	560.0	NRV040	912	200	302		
28	7.5	1.2	373.3		1044	233			
29	10	1.0	280.0		1149	272			
31	15	0.72	186.7		1315	291			
29	20	0.52	140.0		1447	204			
28	25	0.42	112.0		1559	236			
34	30	0.44	93.3		1657	350			
31	40	0.32	70.0		1824	350			
30	50	0.26	56.0		1964	350			
28	60	0.21	46.7		2087	350			
25	80	0.16	35.0		2298	350			
23	100	0.12	28.0		2475	350			
45	5	2.9	560.0		NRV050	1251		280	302
52	7.5	2.3	373.3			1433		324	
54	10	1.8	280.0	1577		378			
57	15	1.3	186.7	1805		399			
53	20	0.95	140.0	1987		417			
51	25	0.75	112.0	2140		482			
64	30	0.82	93.3	2274		490			
59	40	0.59	70.0	2503		490			
53	50	0.45	56.0	2696		490			
50	60	0.37	46.7	2865		490			
45	80	0.27	35.0	3153		490			
40	100	0.21	28.0	3397		490			
93	7.5	4.0	373.3	NRV063		1873	395	302	
97	10	3.2	280.0			2061	463		
103	15	2.3	186.7		2359	492			
100	20	1.7	140.0		2597	538			
92	25	1.3	112.0		2797	593			
120	30	1.5	93.3		2973	700			
108	40	1.1	70.0		3272	700			
100	50	0.83	56.0		3524	700			
95	60	0.68	46.7		3745	700			
85	80	0.49	35.0		4122	700			
74	100	0.37	28.0		4440	700			
130	7.5	5.6	373.3		NRV075	2210	560		302
145	10	4.7	280.0	2433		703			
150	15	3.4	186.7	2785		727			
160	20	2.8	140.0	3065		872			
150	25	2.1	112.0	3302		980			
170	30	2.1	93.3	3509		980			
165	40	1.6	70.0	3862		980			
150	50	1.2	56.0	4160		980			
145	60	1.0	46.7	4421		980			
130	80	0.72	35.0	4865		980			
120	100	0.58	28.0	5241		980			



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NRV
(n1=2800)


M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)	
210	7.5	8.9	373.3	NRV090	2446	715	302
235	10	7.7	280.0		2692	900	
270	15	6.0	186.7		3081	1034	
260	20	4.4	140.0		3391	1120	
250	25	3.4	112.0		3653	1270	
310	30	3.7	93.3		3882	1270	
275	40	2.6	70.0		4273	1270	
265	50	2.0	56.0		4603	1270	
245	60	1.6	46.7		4891	1270	
225	80	1.2	35.0		5383	1270	
200	100	0.9	28.0		5799	1270	
340	7.5	14.4	373.3	NRV105	3090	950	302
380	10	12.2	280.0		3401	1194	
425	15	9.3	186.7		3893	1336	
420	20	7.0	140.0		4285	1485	
440	25	5.9	112.0		4616	1700	
480	30	5.7	93.3		4905	1700	
460	40	4.1	70.0		5399	1700	
450	50	3.3	56.0		5816	1700	
430	60	2.7	46.7		6181	1700	
380	80	1.9	35.0		6803	1700	
350	100	1.5	28.0		7328	1700	
391	7.5	16.6	373.3	NRV110	3090	950	302
437	10	14.1	280.0		3401	1194	
489	15	10.7	186.7		3893	1337	
483	20	8.0	140.0		4285	1485	
506	25	6.8	112.0		4616	1700	
552	30	6.5	93.3		4905	1700	
529	40	4.7	70.0		5399	1700	
495	50	3.7	56.0		5816	1700	
473	60	3.0	46.7		6181	1700	
399	80	2.0	35.0		6803	1700	
368	100	1.6	28.0		7328	1700	
520	7.5	22.1	373.3	NRV130	4042	1190	302
580	10	18.7	280.0		4449	1493	
670	15	14.7	186.7		5092	1725	
660	20	11.0	140.0		5605	1912	
670	25	9.0	112.0		6038	2100	
770	30	9.0	93.3		6416	2100	
730	40	6.5	70.0		7062	2100	
700	50	5.1	56.0		7607	2100	
640	60	4.0	46.7		8084	2100	
590	80	3.0	35.0		8897	2100	
520	100	2.2	28.0		9584	2100	
840	7.5	35.7	373.3	NRV150	5526	1550	302
890	10	28.4	280.0		6082	1848	
910	15	19.8	186.7		6962	1889	
980	20	16.1	140.0		7663	2289	
890	25	12.0	112.0		8254	2494	
920	30	10.5	93.3		8771	2800	
1200	40	10.6	70.0		9654	2800	
1100	50	8.1	56.0		10400	2800	
990	60	6.2	46.7		11051	2800	
920	80	4.6	35.0		12163	2800	
810	100	3.3	28.0		13103	2800	





NRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

(n1=1400)


M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)			
18	5	0.61	280.0	NRV030	597	150	302		
18	7.5	0.41	186.7		683	150			
18	10	0.32	140.0		752	169			
18	15	0.23	93.3		861	169			
18	20	0.18	70.0		948	190			
21	25	0.18	56.0		1021	210			
20	30	0.15	46.7		1085	210			
18	40	0.11	35.0		1194	210			
17	50	0.09	28.0		1286	210			
16	60	0.08	23.3		1367	210			
13	80	0.05	17.5		1504	210			
34	5	1.1	280.0	NRV040	1149	250	302		
40	7.5	0.90	186.7		1315	294			
40	10	0.69	140.0		1447	331			
40	15	0.48	93.3		1657	331			
39	20	0.37	70.0		1824	350			
38	25	0.30	56.0		1964	350			
38	25	0.30	56.0		1964	350			
45	30	0.31	46.7		2087	350			
41	40	0.23	35.0		2298	350			
39	50	0.18	28.0		2475	350			
36	60	0.15	23.3		2630	350			
33	80	0.12	17.5		2895	350			
29	100	0.09	14.0		3118	350			
62	5	2.0	280.0		NRV050	1577		350	302
71	7.5	1.6	186.7	1805		401			
72	10	1.2	140.0	1987		490			
74	15	0.88	93.3	2274		490			
73	20	0.68	70.0	2503		490			
70	25	0.54	56.0	2696		490			
84	30	0.57	46.7	2865		490			
76	40	0.42	35.0	3153		490			
73	50	0.34	28.0	3397		490			
68	60	0.28	23.3	3610		490			
65	80	0.22	17.5	3973		490			
55	100	0.16	14.0	4280		490			
128	7.5	2.8	186.7	NRV063		2359	500	302	
130	10	2.2	140.0			2597	571		
140	15	1.6	93.3		2973	615			
135	20	1.2	70.0		3272	667			
130	25	1.0	56.0		3524	700			
160	30	1.1	46.7		3745	700			
145	40	0.76	35.0		4122	700			
135	50	0.60	28.0		4440	700			
130	60	0.51	23.3		4719	700			
122	80	0.39	17.5		5193	700			
118	100	0.34	14.0		5595	700			
185	7.5	4.1	186.7		NRV075	2785	700		302
195	10	3.2	140.0	3065		830			
200	15	2.3	93.3	3509		851			
210	20	1.9	70.0	3862		980			
200	25	1.5	56.0	4160		980			
230	30	1.5	46.7	4421		980			
220	40	1.1	35.0	4865		980			
210	50	0.89	28.0	5241		980			
200	60	0.75	23.3	5569		980			
190	80	0.58	17.5	6130		980			
180	100	0.48	14.0	6603		980			



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NRV
(n1=1400)


M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)	
290	7.5	6.3	186.7	NRV090	3081	900	302
310	10	5.1	140.0		3391	1082	
360	15	4.1	93.3		3882	1257	
355	20	3.1	70.0		4273	1270	
340	25	2.4	56.0		4603	1270	
410	30	2.6	46.7		4891	1270	
360	40	1.8	35.0		5383	1270	
340	50	1.4	28.0		5799	1270	
320	60	1.1	23.3		6163	1270	
285	80	0.83	17.5		6783	1270	
270	100	0.67	14.0		7306	1270	
480	7.5	10.4	186.7	NRV105	3893	1200	302
520	10	8.6	140.0		4285	1463	
570	15	6.5	93.3		4905	1603	
560	20	4.8	70.0		5399	1700	
590	25	4.1	56.0		5816	1700	
630	30	3.9	46.7		6181	1700	
610	40	2.9	35.0		6803	1700	
600	50	2.3	28.0		7328	1700	
560	60	1.9	23.3		7787	1700	
490	80	1.3	17.5		8571	1700	
460	100	1.1	14.0		9232	1700	
552	7.5	12.0	186.7	NRV110	3893	1200	302
598	10	9.8	140.0		4285	1463	
656	15	7.5	93.3		4905	1604	
644	20	5.6	70.0		5399	1700	
679	25	4.7	56.0		5816	1700	
725	30	4.5	46.7		6181	1700	
702	40	3.3	35.0		6803	1700	
660	50	2.6	28.0		7328	1700	
616	60	2.1	23.3		7787	1700	
515	80	1.4	17.5		8571	1700	
483	100	1.1	14.0		9232	1700	
750	7.5	16.1	186.7	NRV130	5092	1500	302
820	10	13.5	140.0		5605	1845	
920	15	10.3	93.3		6416	2070	
910	20	7.8	70.0		7062	2100	
930	25	6.5	56.0		7607	2100	
1040	30	6.4	46.7		8084	2100	
1050	40	4.9	35.0		8897	2100	
980	50	3.8	28.0		9584	2100	
900	60	3.1	23.3		10185	2100	
840	80	2.3	17.5		11210	2100	
740	100	1.7	14.0		12076	2100	
1200	7.5	25.8	186.7	NRV150	6962	1950	302
1240	10	20.2	140.0		7663	2267	
1250	15	13.9	93.3		8771	2285	
1300	20	11.1	70.0		9654	2674	
1200	25	8.4	56.0		10400	2800	
1200	30	7.1	46.7		11051	2800	
1550	40	7.3	35.0		12163	2800	
1400	50	5.4	28.0		13103	2800	
1260	60	4.2	23.3		13924	2800	
1150	80	3.1	17.5		15325	2800	
1000	100	2.3	14.0		16508	2800	


NRV Prestazioni / Performance / Leistungen / Performances / Prestaciones
(n1=900)

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)			
20	5	0.44	180.0	NRV030	692	175	302		
20	7.5	0.30	120.0		792	175			
20	10	0.24	90.0		871	197			
20	15	0.17	60.0		997	197			
20	20	0.13	45.0		1098	210			
23	25	0.14	36.0		1183	210			
21	30	0.11	30.0		1257	210			
20	40	0.09	22.5		1383	210			
18	50	0.07	18.0		1490	210			
17	60	0.06	15.0		1583	210			
15	80	0.04	11.3		1743	210			
40	5	0.87	180.0		NRV040	1331		290	302
44	7.5	0.65	120.0			1524		319	
44	10	0.50	90.0	1677		350			
45	15	0.36	60.0	1920		350			
44	20	0.28	45.0	2113		350			
43	25	0.23	36.0	2276		350			
49	30	0.23	30.0	2419		350			
45	40	0.17	22.5	2662		350			
42	50	0.14	18.0	2868		350			
39	60	0.11	15.0	3047		350			
35	80	0.09	11.3	3354		350			
32	100	0.07	9.0	3490		350			
75	5	1.6	180.0	NRV050		1827	400	302	
84	7.5	1.2	120.0		2091	448			
84	10	0.94	90.0		2302	490			
84	15	0.67	60.0		2635	490			
77	20	0.48	45.0		2900	490			
75	25	0.39	36.0		3124	490			
90	30	0.42	30.0		3320	490			
82	40	0.31	22.5		3654	490			
77	50	0.25	18.0		3936	490			
72	60	0.21	15.0		4183	490			
68	80	0.16	11.3		4604	490			
56	100	0.12	9.0		4840	490			
151	7.5	2.2	120.0		NRV063	2734	580		302
153	10	1.7	90.0	3009		661			
155	15	1.2	60.0	3444		670			
148	20	0.91	45.0	3791		700			
137	25	0.69	36.0	4084		700			
175	30	0.79	30.0	4339		700			
160	40	0.58	22.5	4776		700			
145	50	0.45	18.0	5145		700			
138	60	0.37	15.0	5467		700			
128	80	0.29	11.3	6018		700			
124	100	0.25	9.0	6270		700			
215	7.5	3.1	120.0	NRV075		3227	810	302	
230	10	2.5	90.0			3551	975		
235	15	1.8	60.0		4065	980			
235	20	1.4	45.0		4474	980			
215	25	1.1	36.0		4820	980			
260	30	1.1	30.0		5122	980			
240	40	0.83	22.5		5637	980			
220	50	0.65	18.0		6073	980			
210	60	0.54	15.0		6453	980			
200	80	0.43	11.3		7103	980			
190	100	0.36	9.0		7380	980			


(n1=900)


M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)	
340	7.5	4.8	120.0	NRV090	3570	1040	302
370	10	4.0	90.0		3929	1270	
420	15	3.1	60.0		4498	1270	
390	20	2.3	45.0		4951	1270	
370	25	1.8	36.0		5333	1270	
460	30	1.9	30.0		5667	1270	
410	40	1.4	22.5		6238	1270	
390	50	1.1	18.0		6719	1270	
350	60	0.86	15.0		7140	1270	
315	80	0.63	11.3		7859	1270	
280	100	0.49	9.0		8180	1270	
565	7.5	8.0	120.0	NRV105	4511	1390	302
620	10	6.6	90.0		4965	1700	
660	15	4.9	60.0		5684	1700	
630	20	3.6	45.0		6256	1700	
660	25	3.1	36.0		6739	1700	
730	30	3.0	30.0		7161	1700	
690	40	2.2	22.5		7882	1700	
680	50	1.8	18.0		8491	1700	
620	60	1.4	15.0		9023	1700	
540	80	1.0	11.3		9931	1700	
490	100	0.80	9.0		10320	1700	
650	7.5	9.2	120.0	NRV110	4511	1390	302
713	10	7.6	90.0		4965	1700	
759	15	5.6	60.0		5684	1700	
725	20	4.1	45.0		6256	1700	
759	25	3.5	36.0		6739	1700	
840	30	3.5	30.0		7161	1700	
794	40	2.5	22.5		7882	1700	
748	50	2.0	18.0		8491	1700	
682	60	1.6	15.0		9023	1700	
567	80	1.1	11.3		9931	1700	
515	100	0.84	9.0		10320	1700	
880	7.5	12.3	120.0	NRV130	5901	1740	302
960	10	10.3	90.0		6494	2100	
1060	15	7.8	60.0		7434	2100	
1040	20	5.8	45.0		8182	2100	
1050	25	4.8	36.0		8814	2100	
1170	30	4.7	30.0		9366	2100	
1100	40	3.5	22.5		10309	2100	
1050	50	2.7	18.0		11105	2100	
940	60	2.1	15.0		11801	2100	
860	80	1.6	11.3		12989	2100	
780	100	1.2	9.0		13500	2100	
1400	7.5	19.5	120.0	NRV150	8067	2270	302
1480	10	15.7	90.0		8878	2700	
1450	15	10.5	60.0		10163	2645	
1500	20	8.4	45.0		11186	2800	
1380	25	6.3	36.0		12050	2800	
1400	30	5.4	30.0		12805	2800	
1800	40	5.7	22.5		14094	2800	
1600	50	4.1	18.0		15182	2800	
1440	60	3.2	15.0		16133	2800	
1300	80	2.4	11.3		17757	2800	
1150	100	1.8	9.0		18000	2800	





NRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

(n1=500)


M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)			
24	5	0.30	100.0	NRV030	841	210	302		
24	7.5	0.21	66.7		963	210			
24	10	0.16	50.0		1060	210			
24	15	0.12	33.3		1213	210			
23	20	0.09	25.0		1336	210			
29	25	0.10	20.0		1439	210			
26	30	0.08	16.7		1529	210			
23	40	0.06	12.5		1683	210			
21	50	0.05	10.0		1813	210			
19	60	0.04	8.3		1830	210			
17	80	0.03	6.3		1830	210			
49	5	0.60	100.0	NRV040	1619	350	302		
54	7.5	0.45	66.7		1853	350			
54	10	0.35	50.0		2040	350			
55	15	0.26	33.3		2335	350			
52	20	0.19	25.0		2570	350			
49	25	0.15	20.0		2769	350			
58	30	0.16	16.7		2942	350			
53	40	0.12	12.5		3238	350			
49	50	0.10	10.0		3488	350			
46	60	0.08	8.3		3490	350			
40	80	0.06	6.3		3490	350			
36	100	0.05	5.0		3490	350			
92	5	1.1	100.0		NRV050	2222		490	302
103	7.5	0.86	66.7	2544		490			
103	10	0.67	50.0	2800		490			
103	15	0.47	33.3	3205		490			
93	20	0.33	25.0	3528		490			
91	25	0.28	20.0	3800		490			
108	30	0.29	16.7	4038		490			
98	40	0.22	12.5	4445		490			
91	50	0.17	10.0	4788		490			
83	60	0.14	8.3	4840		490			
75	80	0.11	6.3	4840		490			
65	100	0.09	5.0	4840		490			
184	7.5	1.5	66.7	NRV063		3325	700	302	
185	10	1.2	50.0		3660	700			
187	15	0.85	33.3		4190	700			
178	20	0.63	25.0		4611	700			
164	25	0.48	20.0		4967	700			
200	30	0.54	16.7		5279	700			
185	40	0.40	12.5		5810	700			
173	50	0.32	10.0		6259	700			
160	60	0.26	8.3		6270	700			
137	80	0.19	6.3		6270	700			
128	100	0.16	5.0		6270	700			
260	7.5	2.1	66.7		NRV075	3925	980		302
270	10	1.7	50.0			4320	980		
280	15	1.2	33.3	4945		980			
285	20	0.98	25.0	5443		980			
255	25	0.73	20.0	5863		980			
300	30	0.77	16.7	6231		980			
280	40	0.58	12.5	6858		980			
250	50	0.44	10.0	7380		980			
240	60	0.37	8.3	7380		980			
215	80	0.29	6.3	7380		980			
210	100	0.24	5.0	7380		980			



(n1=500)

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)	
410	7.5	3.3	66.7	NRV090	4343	1270	302
435	10	2.7	50.0		4780	1270	
490	15	2.1	33.3		5472	1270	
470	20	1.6	25.0		6022	1270	
440	25	1.2	20.0		6487	1270	
550	30	1.4	16.7		6894	1270	
480	40	0.95	12.5		7588	1270	
450	50	0.75	10.0		8174	1270	
400	60	0.59	8.3		8180	1270	
365	80	0.45	6.3		8180	1270	
330	100	0.35	5.0		8180	1270	
690	7.5	5.5	66.7	NRV105	5488	1700	302
740	10	4.6	50.0		6040	1700	
790	15	3.4	33.3		6914	1700	
750	20	2.5	25.0		7610	1700	
790	25	2.1	20.0		8198	1700	
870	30	2.1	16.7		8711	1700	
810	40	1.5	12.5		9588	1700	
800	50	1.3	10.0		10320	1700	
710	60	0.98	8.3		10320	1700	
630	80	0.72	6.3		10320	1700	
570	100	0.56	5.0		10320	1700	
794	7.5	6.4	66.7	NRV110	5488	1700	302
851	10	5.2	50.0		6040	1700	
909	15	3.9	33.3		6914	1700	
863	20	2.8	25.0		7610	1700	
909	25	2.4	20.0		8198	1700	
1000	30	2.4	16.7		8711	1700	
932	40	1.7	12.5		9588	1700	
880	50	1.4	10.0		10320	1700	
781	60	1.1	8.3		10320	1700	
662	80	0.76	6.3		10320	1700	
599	100	0.59	5.0		10320	1700	
1080	7.5	8.6	66.7	NRV130	7178	2100	302
1160	10	7.1	50.0		7900	2100	
1300	15	5.5	33.3		9043	2100	
1230	20	4.0	25.0		9953	2100	
1200	25	3.2	20.0		10722	2100	
1400	30	3.3	16.7		11394	2100	
1300	40	2.4	12.5		12540	2100	
1220	50	1.9	10.0		13500	2100	
1070	60	1.5	8.3		13500	2100	
970	80	1.1	6.3		13500	2100	
860	100	0.85	5.0		13500	2100	
1700	7.5	13.5	66.7	NRV150	9812	2800	302
1780	10	10.7	50.0		10800	2800	
1730	15	7.2	33.3		12363	2800	
1820	20	5.9	25.0		13607	2800	
1630	25	4.3	20.0		14658	2800	
1670	30	3.8	16.7		15576	2800	
2120	40	3.9	12.5		17144	2800	
1870	50	2.9	10.0		18000	2800	
1680	60	2.3	8.3		18000	2800	
1530	80	1.7	6.3		18000	2800	
1350	100	1.3	5.0		18000	2800	


NRV Prestazioni / Performance / Leistungen / Performances / Prestaciones
NRV/NMRV (n1=1400)

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)	
73	300	0.08	4.7	NRV030/040	3490	210	302
65	400	0.06	3.5		3490	210	
61	500	0.04	2.8		3490	210	
73	600	0.04	2.3		3490	210	
73	750	0.04	1.9		3490	210	
73	900	0.03	1.6		3490	210	
65	1200	0.02	1.2		3490	210	
73	1500	0.02	0.9		3490	210	
73	1800	0.02	0.8		3490	210	
65	2400	0.01	0.58		3490	210	
65	3200	0.01	0.4		3490	210	
33	4000	0.01	0.4		3490	210	
29	5000	0.01	0.28		3490	210	
145	300	0.15	4.7		NRV030/050	4840	
124	400	0.10	3.5	4840		210	
120	500	0.09	2.8	4840		210	
145	600	0.08	2.3	4840		210	
145	750	0.07	1.9	4840		210	
145	900	0.06	1.6	4840		210	
124	1200	0.04	1.2	4840		210	
145	1500	0.04	0.93	4840		210	
145	1800	0.04	0.78	4840		210	
124	2400	0.03	0.6	4840		210	
120	3000	0.02	0.5	4840		210	
82	4000	0.02	0.35	4840		210	
82	4800	0.02	0.29	4840		210	
230	300	0.24	4.7	NRV030/063		6270	210
230	400	0.19	3.5		6270	210	
216	500	0.15	2.8		6270	210	
230	600	0.13	2.3		6270	210	
216	750	0.11	1.9		6270	210	
198	900	0.09	1.6		6270	210	
230	1200	0.08	1.2		6270	210	
216	1500	0.06	0.93		6270	210	
198	1800	0.05	0.78		6270	210	
230	2400	0.05	0.58		6270	210	
216	3000	0.04	0.47		6270	210	
172	4000	0.03	0.35		6270	210	
150	5000	0.02	0.28		6270	210	
390	300	0.36	4.7		NRV040/075	7380	350
360	400	0.27	3.5	7380		350	
320	500	0.21	2.8	7380		350	
390	600	0.19	2.3	7380		350	
390	750	0.16	1.9	7380		350	
390	900	0.14	1.6	7380		350	
360	1200	0.11	1.2	7380		350	
390	1500	0.10	0.93	7380		350	
390	1800	0.09	0.78	7380		350	
360	2400	0.07	0.58	7380		350	
320	3000	0.05	0.47	7380		350	
250	4000	0.04	0.35	7380		350	
230	5000	0.03	0.28	7380		350	
610	300	0.56	4.7	NRV040/090		8180	350
610	400	0.43	3.5		8180	350	
560	500	0.34	2.8		8180	350	
610	600	0.30	2.3		8180	350	
560	750	0.23	1.9		8180	350	
505	900	0.19	1.6		8180	350	
610	1200	0.17	1.2		8180	350	
560	1500	0.14	0.93		8180	350	


NRV/NMRV (n1=1400)

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)	
505	1800	0.11	0.78	NRV040/090	8180	350	302
610	2400	0.11	0.58		8180	350	
560	3000	0.08	0.47		8180	350	
460	4000	0.08	0.35		8180	350	
410	5000	0.06	0.28		8180	350	
1100	300	0.95	4.7	NRV050/105	10320	490	302
1030	400	0.69	3.5		10320	490	
1000	500	0.56	2.8		10320	490	
1030	600	0.48	2.3		10320	490	
1100	750	0.43	1.9		10320	490	
1100	900	0.38	1.6		10320	490	
1030	1200	0.27	1.2		10320	490	
1100	1500	0.26	0.93		10320	490	
1100	1800	0.23	0.78		10320	490	
1030	2400	0.17	0.58		10320	490	
1000	3000	0.14	0.47		10320	490	
780	4000	0.12	0.35		10320	490	
710	5000	0.09	0.28		10320	490	
1265	300	1.1	4.7		NRV050/110	10320	
1185	400	0.79	3.5	10320		490	
1100	500	0.61	2.8	10320		490	
1185	600	0.55	2.3	10320		490	
1265	750	0.49	1.9	10320		490	
1265	900	0.43	1.6	10320		490	
1185	1200	0.31	1.2	10320		490	
1265	1500	0.30	0.93	10320		490	
1265	1800	0.26	0.78	10320		490	
1185	2400	0.19	0.58	10320		490	
1100	3000	0.15	0.47	10320		490	
819	4000	0.13	0.35	10320		490	
746	5000	0.10	0.28	10320		490	
1760	300	1.5	4.7	NRV063/130		13500	700
1650	400	1.1	3.5		13500	700	
1550	500	0.86	2.8		13500	700	
1650	600	0.76	2.3		13500	700	
1760	750	0.66	1.9		13500	700	
1760	900	0.58	1.6		13500	700	
1650	1200	0.43	1.2		13500	700	
1760	1500	0.39	0.93		13500	700	
1760	1800	0.35	0.78		13500	700	
1650	2400	0.25	0.58		13500	700	
1550	3000	0.20	0.47		13500	700	
1220	4000	0.15	0.35		13500	700	
1100	5000	0.11	0.28		13500	700	
2340	150	3.4	9.3		NRV063/150	18000	700
2340	200	2.7	7.0	18000		700	
2050	250	1.9	5.6	18000		700	
2340	300	1.9	4.7	18000		700	
2670	400	1.8	3.5	18000		700	
2330	500	1.4	2.8	18000		700	
2670	600	1.3	2.3	18000		700	
2330	750	0.98	1.9	18000		700	
2100	900	0.71	1.6	18000		700	
2670	1200	0.75	1.2	18000		700	
2100	1800	0.44	0.8	18000		700	
2670	2400	0.46	0.6	18000		700	
2330	3000	0.34	0.5	18000		700	
1880	4000	0.23	0.4	18000		700	
1650	5000	0.18	0.3	18000		700	